

**ASSO**

FISHING LINE

# ASSO FISHING LINE CATALOGUE

SPORT FISHING  
PROFESSIONAL FISHING

[WWW.ASSOFISHINGLINE.COM](http://WWW.ASSOFISHINGLINE.COM)





# Pursuing excellence since 1973.

Under the skills and experiences acquired in almost 50 years of work, **ASSO** is able to offer a wide range of fishing lines in nylon or fluorocarbon and PE braids, available on the global market.

Every day, consumers from more than 80 countries rely on ASSO, testifying the company's ability to intercept users' technical needs and satisfy them through the launch of new products. The ASSO range includes products with cutting-edge technical characteristics able to meet the needs of the most advanced angler, through the offer of a targeted product that meets the specific needs of each fishing technique. In addition to the high-end multipurpose products, specific lines are available dedicated to the various fishing techniques including fly fishing, carp fishing, professional longline fishing, trout area, ajing and mebaru.

## The evolution of Asso fishing lines

The evolution of the ASSO range of fishing lines is marked by a series of milestones in the history of fishing monofilaments:

### Early 80s

It is the official start of the evolution of the ASSO range, a decisive step that has made a great contribution to the history of fishing monofilaments.

### Late 80s

These were the years when the Italian market welcomed ASSO DI CUORI, the first innovative fishing monofilament wholly made of fluorocarbon, a real innovation for the market at that time.

### Early 90s

Gruppo DP introduced ASSO DI QUADRI, a revolutionary monofilament with no memory, which raised the quality standards of the time in Italy and in many European and non-European countries.

### Today

The entire production is oriented to the technological excellence. Together with specific products for traditional techniques such as fly fishing, carp fishing and surf casting, others have been developed to meet the most modern trends in the sector such as TROUT AREA, AJING and ULTRA LIGHT FISHING.


## Asso product range

The Asso range offers products which stand out for their top level technical features, designed to meet the most sophisticated fishing requirements. Asso offers a wide catalogue of monofilaments in nylon, fluorocarbon and highly specialised PE braided lines. ASSO lines distribution develops on global scale in a capillary manner, through Gruppo DP's network, which is active in 5 continents and more than 80 countries.

+ LEARN MORE ON [www.assofishingline.com](http://www.assofishingline.com)



**ASSO**  
FISHING LINE



# ASSO TECHNOLOGY












Attention to technological excellence has always been a constant in the history of the ASSO range, which today offers one of the most complete ranges of nylon or fluorocarbon and PE braided fishing lines available on the global market. In addition to top quality multi-purpose items, other specific lines dedicated to the various fishing techniques are available, including fly fishing, carp fishing, professional longline fishing, trout area, ajing and mebaru.











Each product has specific features which go beyond the data summarised by the diameter and the breaking strength. Our icon system, which can be accessible on the product sheet, allows you to find and fully understand any ASSO fishing line specific feature.








The product safety sheets (with important safety information) are available on-line [www.gruppodp.com/safety](http://www.gruppodp.com/safety)










|  |   |
|--|---|
|  <p><b>FLUOROCARBON COATED</b></p>      | <p>Fluorocarbon coating provides the monofilament with an exceptionally smooth and durable surface, making it nearly completely waterproof and abrasion-resistant. The waterproofness keeps the strength unaffected even when the line gets wet, unlike the nylon monofilaments which instead may have a decay up to 15%. Fluorocarbon coated monofilaments combine most of the revolutionary features of fluorocarbon with the excellent dynamic and breaking strength features of nylon, thus constituting a "bridge" product that tends to make the best use of the characteristics of both materials, generally at a lower price compared to pure fluorocarbon monofilaments.</p> |
|  <p><b>PARALLEL SPOOLING</b></p>        | <p>The parallel spooling system allows to optimally preserve the physical and mechanical features of the monofilaments. The spooling takes place by means of high precision numerical control machines, overlapping the coils without twisting them, at moderate constant speed and applying a reduced tension to the fibers. The risk of abrasion, tension and crushing is therefore reduced to a minimum.</p>   |
|  <p><b>HIGH ABRASION RESISTANCE</b></p> | <p>This line features a particularly consistent surface, which guarantees high abrasion resistance in the event of friction on hard materials such as rocks, trees and obstacles of various kinds or fish bites.</p>  |
|  <p><b>CAMOUFLAGE MULTICOLOR</b></p>    | <p>Camouflage multicolor lines offer a special camouflage color, which consists of alternating short segments of line with different coloring inside the spool. This coloring, intentionally heterogeneous and irregular, makes the line less visible in water.</p>   |
|  <p><b>SINKING</b></p>                 | <p>Sinking lines feature a high specific weight, which guarantees a greater and more rapid sinking. It also ensures a very precise fishing action in presence of strong winds.</p>  |
|  <p><b>FLOATING</b></p>               | <p>Floating lines have a reduced specific weight, which slows its sinking in water.</p>   |
|  <p><b>HIGH VISIBILITY</b></p>        | <p>High visibility lines have a special "solid", fluorescent or particularly lively color that enhances the visibility of the line outside the water, and makes them particularly suitable for night or low light fishing conditions.</p>   |
|  <p><b>LOW VISIBILITY</b></p>         | <p>These Fluorocarbon or Fluorocarbon coated lines ensure maximum invisibility as the refractive index of fluorocarbon is close to that of water. A good outcome in terms of invisibility is also obtained with the multicolor colouring.</p>   |
|  <p><b>HIGH STRETCH</b></p>           | <p>High stretch lines are excellent shock absorbers and are particularly suitable to be connected as leaders to PE braids to balance their low elongation. They also favour the bite of particularly suspicious fish.</p>   |
|  <p><b>LOW STRETCH</b></p>            | <p>Low stretch lines provide greater sensitivity while fishing and better strikes.</p>  |
|  <p><b>SOFT</b></p>                   | <p>Soft lines have a tension-free consistency with a low mechanical memory and, generally, a high smoothness.</p>   |

|  |  |
|--|--|
|  <p><b>STIFF</b></p>                      | <p>Stiff lines provide greater abrasion-resistance and lower stretch. If used as leaders, they allow an excellent arrangement of the bait.</p>   |
|  <p><b>3-PLY BRAID</b></p>                | <p>The braid is made from three independent fibers braided together so as to ensure optimal density and a surface that is as homogeneous as possible.</p>  |
|  <p><b>4-PLY BRAID</b></p>                | <p>4-ply braid is the standard for fishing braids. This braid is made from four independent fibers, braided together so as to ensure optimal density and a surface that is as homogeneous as possible.</p>   |
|  <p><b>8-PLY BRAID</b></p>                | <p>8-ply braid is a cutting-edge braiding technology applied to fishing lines. The high number of fibers used, 8 instead of the traditional 4, guarantees, with the same diameter, a greater compactness of the braid that enhances its softness and smoothness.</p> |
|  <p><b>FOR LEADERS</b></p>               | <p>Leader lines feature different characteristics according to the fishing technique used. They guarantee maximum invisibility according to the material or color used, and feature a high breaking strength and abrasion resistance.</p>                            |
|  <p><b>FOR REEL</b></p>                 | <p>Reel lines are soft, low memory and smooth tangle-free lines.</p>   |
|  <p><b>FOR SHOCK LEADERS</b></p>        | <p>These lines perfectly absorb kinetic energy while casting. Being tapered lines, they are perfect for linking together the mainline and the leader.</p>  |
|  <p><b>FOR REEL + SHOCK LEADERS</b></p> | <p>These smooth tapered lines allow to have the correct diameter in the reel and the correct diameter in the leader without knots and interruptions.</p>   |
|  <p><b>SMOOTH CASTING</b></p>           | <p>Smooth casting lines are extremely soft. This great smoothness is given by a special technological treatment.</p>   |
|  <p><b>HIGH TENACITY</b></p>            | <p>High tenacity lines are technologically tested to resist to extremely high breaking strength.</p>   |
|  <p><b>NO MEMORY</b></p>                | <p>These lines have no mechanical memory.</p>  |

|   |  |
|---|--|
|  <p><b>MICRO DIAMETERS</b></p>   | <p>This special technology allows 100% real and constant micro diameters.</p>  |
|  <p><b>TAPERED STRUCTURE</b></p> | <p>Lines with tapered structure and variable diameter, generally used as shock leaders. Tapered lines are formed by a variable section of line with a larger diameter, able to better resist the shock of the casting, and by a thin terminal section that matches the fishing line.</p> |
|  <p><b>IGFA CLASS</b></p>        | <p>Line which meets the IGFA (International Game Fish Association) requirements or designed so that it does not break above the LB category declared in the technical specifications. These products are suitable to run competitions that take place according to IGFA regulations.</p> |
|  <p><b>UV FLUO</b></p>           | <p>UV light fluorescent lines, perfect for night fishing.</p>  |

|   |   |
|---|---|
|  <p><b>100% FLUOROCARBON</b></p> | <p>Fluorocarbon is a revolutionary synthetic fiber, with chemical and mechanical properties very different from those of nylon, such as:</p> <ul style="list-style-type: none"> <li>• the index of refraction of the light close to that of water, which makes it virtually invisible in immersion;</li> <li>• the greater specific weight and higher density compared to a traditional monofilament, which allows it to sink faster and to maintain the fishing position with higher accuracy since it is less sensitive to wind and current;</li> <li>• a low elongation, which guarantees a prompt and sensitive strike;</li> <li>• insensitivity to low temperatures, which allows fishing up to -40 ° C;</li> <li>• exceptional resistance to abrasion thanks to a very durable surface that gives considerable protection against rocks and the bites of more aggressive fish.</li> </ul> |
|---|---|

## WHY CHOOSE FLUOROCARBON?

|   |  |
|---|--|
|  | <p><b>High invisibility:</b> because of the closer index of refraction to that of water, It is so invisible that the fish cannot see it in water, they only see the bait!</p>                                |
|  | <p><b>More strength in water:</b> Fluorocarbon is waterproof with no water absorption. Fluorocarbon retains 100% of its tensile strength when wet and is also salt proof.</p>                                |
|  | <p><b>Great resistance to very low temperatures:</b> anglers can fish at -40°C without any problem.</p>  |
|  | <p><b>Outstanding abrasion resistance:</b> it has a very tough surface offering great protection against rock, brush, snags and sharp toothed species.</p>   |
|  | <p><b>More precision in fishing:</b> as a consequence of its higher weight, it is less affected by tide and wind and remains where cast. Thanks to its natural stiffness, the hooklength stays straight.</p> |
|  | <p><b>Controlled low stretch:</b> thanks to it, Fluorocarbon has an instant hook setting power.</p>  |
|  | <p><b>Extraordinary sinking speed:</b> its weight, higher than that of the traditional line, makes the fluorocarbon sink quicker and keep the position in the water (less sensitive to the current).</p>     |



**BOAT FISHING**

- 11 — TUNA BIG GAME
- 11 — TOURNAMENT
- 12 — DOUBLE STRENGTH ULTRASOFT
- 12 — TRIPLE FORCE
- 13 — SENTINEL
- 13 — PINK HUNTER
- 14 — BIG CATCH
- 14 — INVISIBLE BIG GAME
- 14 — INVISIBLE CLEAR
- 15 — INVISIBLE PINK
- 15 — SUPERFLUOROCARBON HIGH STRETCH
- 16 — 8X PE JIGGING MASTER
- 17 — 8X PE PREDATOR
- 19 — 8X PE EVERGREEN
- 19 — 8X PE LURE BRAID
- 19 — 8X PE LIGHT GAMES

**SURFCASTING**

- 21 — TORNEO
- 21 — KNIGHT
- 21 — PINK HUNTER
- 22 — SENTINEL
- 22 — SURF
- 23 — TRIGGER
- 24 — TAPERED SHOCK LEADERS
- 24 — TAPERED LINE 220M
- 24 — TAPERED SHOCK LEADERS 5X15-10X15M
- 26 — INVISIBLE CLEAR
- 27 — SUPERFLUOROCARBON
- 28 — CLASSIC SHOCK LEADER
- 28 — OBLIVION
- 28 — ULTRAFLEX
- 29 — 8X PE LIGHT GAMES

**LIGHT FISHING**

- 31 — TROUT AREA NYLON SOFT
- 31 — TROUT AREA NYLON HARD
- 31 — TROUT AREA FLUOROCARBON
- 32 — SUPER AJING SHOCK LEADER
- 32 — SUPER ESTER
- 33 — 3X PE LIGHT GAMES
- 33 — 4X PE SUPER AJING
- 34 — SUPER PE ULTRALIGHT GAMES
- 34 — 8X PE MICRO BRAID
- 35 — 8X PE EGING MASTER
- 35 — 8X PE LIGHT GAMES

**CARP FISHING**

- 37 — MAINLINE
- 37 — MAINLINE PRO
- 37 — MAINLINE MASTER
- 38 — MAINLINE ABRASION
- 38 — SINKING MAINLINE
- 38 — FLOATER LINE
- 40 — DOUBLE TAPERED MAINLINE
- 40 — FLUOROCARBON MAINLINE
- 40 — SPOD & MARKER
- 42 — TAPERED SHOCK LEADERS 5X15M
- 42 — ZIG FLOATER LINE
- 43 — FLUOROCARBON HOOKLINK
- 43 — CHOD/STIFF RIGS
- 44 — COATED SINKING BRAID HOOKLINK SOFT
- 44 — COATED SINKING BRAID HOOKLINK STIFF
- 45 — CLASSIC SINKING BRAID HOOKLINK SOFT
- 45 — PRO SINKING BRAID HOOKLINK SOFT

**FLY FISHING**

- 47 — COPOLYMER SOFT
- 47 — STRIKE INDICATOR
- 48 — FLUOROCARBON SOFT
- 49 — TENKARA LEVEL LINE
- 50 — KNOTLESS TAPERED LEADER

- 50 — SALTWATER TAPERED LEADER
- 51 — BASS TAPERED LEADER
- 51 — SALMON & STEELHEAD TAPERED LEADER
- 52 — TROUT TAPERED LEADER
- 53 — FLUOROCARBON TAPERED LINE
- 53 — BACKING LINE

**MATCH FISHING**

- 55 — FEEDER LINE
- 57 — HERA ULTRASOFT MICHIIITO
- 57 — HERA PERMANENT LENGTH MICHIIITO
- 57 — HERA ULTRASOFT HARISU
- 58 — NEW MICRON 3
- 59 — SINKING 3X

**multipurpose 100% FLUOROCARBON**

- 61 — FLUOROCASTING
- 61 — INVISIBLE CLEAR
- 61 — INVISIBLE PINK
- 62 — CAMOUFLAGE MULTICOLOR
- 62 — SUPERFLUOROCARBON HIGH STRETCH
- 63 — SUPERFLUOROCARBON
- 63 — CUORI
- 64 — PREMIUM
- 64 — INVISIBLE HARD
- 65 — ICE HEAVY

**multipurpose FLUOROCARBON COATED NYLON**

- 67 — FLUOROLIGHT
- 67 — KNIGHT
- 67 — PINK HUNTER
- 68 — TRIGGER
- 68 — SENTINEL

**multipurpose NYLON**

- 71 — CASTING
- 71 — UNIVERSAL
- 71 — CLASSIC
- 72 — DIAMOND
- 72 — BULLET PROOF
- 72 — WAGGLER
- 75 — ICE FISHING

**multipurpose BRAIDED LINES**

- 77 — 4X PE POWER BRAID
- 77 — 4X-8X PE CAMOUFLAGE
- 77 — 8X PE PERFECT STORM
- 78 — 8X PE POWER BRAID
- 79 — 8X PE EVERGREEN
- 80 — 8X PE LURE BRAID
- 80 — 8X PE LIGHT GAMES
- 80 — 8X PE 8

**multipurpose ESTER**

- 83 — SUPER HARD
- 83 — SUPER HARD FOR FLIPPING AND JIGGING

**COMMERCIAL FISHING**

- 85 — COOFIL
- 85 — PELOVERME
- 85 — TRAVE
- 87 — POLYASTEEL
- 87 — SUPERSOFT
- 87 — SPADES
- 89 — MAINLINE
- 89 — HARD LINE
- 89 — LEADER
- 91 — SUPER BRACCILOLO
- 91 — TRIPLE FORCE



**BOAT FISHING**



**ASSO TUNA BIG GAME**

**NYLON LINE**

FNASDI251



Trolling monofilament with a special anti-abrasion treatment. The low elongation ensures safe casting. Particularly suitable for reel.



1000 M

|                |      |      |      |      |      |      |       |
|----------------|------|------|------|------|------|------|-------|
| <b>DIAM mm</b> | 0.40 | 0.45 | 0.50 | 0.60 | 0.70 | 0.90 | 1.00  |
| <b>TEST/LB</b> | 20.0 | 25.0 | 30.0 | 40.0 | 50.0 | 80.0 | 100.0 |

**ASSO TOURNAMENT**

**NYLON LINE**

FNASDI250



Asso Tournament is a monofilament designed for I.g.f.a. (International Game Fish Association) competitions and has all the features necessary to compete at a high level including: controlled stretch, exceptional abrasion resistance, toughness and knot strength, long life and excellent uniformity of diameter. Particularly suitable for reel.



1000 M

|                |      |      |      |      |      |      |      |
|----------------|------|------|------|------|------|------|------|
| <b>DIAM mm</b> | 0.32 | 0.37 | 0.40 | 0.52 | 0.70 | 0.90 | 1.20 |
| <b>TEST/KG</b> | 5.44 | 7.26 | 9.07 | 13.6 | 24.0 | 36.3 | 59.0 |
| <b>TEST/LB</b> | 12.0 | 16.0 | 20.0 | 30.0 | 50.0 | 80.0 | 130  |

## ASSO DOUBLE STRENGTH ULTRASOFT

NYLON LINE

FNASDI230



Asso Double Strength Ultrasoft is a deep-sea fishing line suitable for those looking for softness and improved usability, without compromising high resistance and breaking strength. It features an excellent breaking strength/diameter ratio and very high transparency thanks to its slightly opaque shade. A wide range of diameters is available, both in spools and hanks. It's multipurpose and suitable for both reel and leaders.



- 60 M FROM Ø 0.50 TO Ø 1.50
- 40 M Ø 1.60
- 30 M Ø 1.80
- 25 M Ø 2.00
- 100 M FROM Ø 0.50 TO Ø 1.00
- 1000 M FROM Ø 0.50 TO Ø 1.30

|                |      |      |      |       |       |       |       |      |      |
|----------------|------|------|------|-------|-------|-------|-------|------|------|
| <b>DIAM mm</b> | 0.50 | 0.55 | 0.60 | 0.65  | 0.70  | 0.75  | 0.80  | 0.85 | 1.00 |
| <b>TEST/KG</b> | 13.6 | 18.2 | 22.7 | 27.2  | 31.8  | 36.3  | 40.9  | 45.4 | 54.5 |
| <b>TEST/LB</b> | 30   | 40   | 50   | 60    | 70    | 80    | 90    | 100  | 120  |
| <b>DIAM mm</b> | 1.10 | 1.20 | 1.30 | 1.50  | 1.60  | 1.80  | 2.00  |      |      |
| <b>TEST/KG</b> | 68.1 | 81.7 | 90.8 | 113.5 | 136.2 | 158.9 | 181.6 |      |      |
| <b>TEST/LB</b> | 150  | 180  | 200  | 250   | 300   | 350   | 400   |      |      |

## ASSO TRIPLE FORCE

NYLON LINE

FNASDI229



Asso Triple Force is a high technology monofilament featuring a very high breaking strength and an extremely hard and tough surface for a very high abrasion resistance level. Its quality is almost unchanged even after many uses in stress conditions. Controlled stretch and great measures make this product complete. Available in two colors, fluo yellow and grey, and also in I.g.f.a contests standards compliant versions. It is multi-purpose and suitable for both reel and terminals.



- STANDARD
- 50 M FROM Ø 0.57 TO Ø 1.56
  - 100 M \*
  - 1000 M FROM Ø 0.57 TO Ø 1.56

\* ALL WHITE DIAMETERS ON DEMAND  
DIAMETER 2.04 GREY ON DEMAND

- IGFA
- 1000 M

| STANDARD       |       |       |       |       |       |       |      |
|----------------|-------|-------|-------|-------|-------|-------|------|
| <b>DIAM mm</b> | 0.57  | 0.62  | 0.74  | 0.81  | 0.90  | 1.04  |      |
| <b>TEST/KG</b> | 25.6  | 29.9  | 41.9  | 49.7  | 60.4  | 80.5  |      |
| <b>TEST/LB</b> | 56.5  | 66.0  | 92.3  | 109.5 | 133.1 | 177.5 |      |
| <b>DIAM mm</b> | 1.17  | 1.33  | 1.47  | 1.56  | 1.61  | 1.83  | 2.04 |
| <b>TEST/KG</b> | 99.5  | 124.2 | 151   | 167.1 | 181   | 284   | 265  |
| <b>TEST/LB</b> | 219.4 | 293.8 | 332.8 | 368.0 | 398   | 516   | 583  |
| IGFA           |       |       |       |       |       |       |      |
| <b>DIAM mm</b> | 0.43  | 0.54  | 0.70  | 0.90  |       |       |      |
| <b>TEST/LB</b> | 30    | 50    | 80    | 130   |       |       |      |



**ASSO SENTINEL NEW!** NYLON LINE FNASDI145

Thanks to Japanese advanced technologies Asso Sentinel gives anglers an extraordinary sensitivity and all the other benefits brought by its fluorocarbon coating. Feel it, catch it!



- 50 M
- 150 M FROM Ø 0.128 TO Ø 0.370
- 300 M FROM Ø 0.165 TO Ø 0.405
- 270 M Ø 0.470
- 220 M Ø 0.520

|                 |       |       |       |       |       |       |       |       |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| <b>DIAM mm</b>  | 0.083 | 0.104 | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |
| <b>GO</b>       | 0.25  | 0.4   | 0.6   | 0.8   | 1.0   | 1.2   | 1.5   | 2.0   |
| <b>TEST/KG</b>  | 0.5   | 0.9   | 1.4   | 1.8   | 2.3   | 2.7   | 3.6   | 4.5   |
| <b>TEST/LB</b>  | 1     | 2     | 3     | 4     | 5     | 6     | 8     | 10    |
| <b>DIAM mm</b>  | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 |
| <b>GO</b>       | 2.5   | 3.0   | 3.5   | 4.0   | 5.0   | 6.0   | 8.0   | 10.0  |
| <b>TEST/KG</b>  | 5.4   | 6.4   | 7.3   | 9.1   | 11.4  | 13.6  | 18.2  | 22.7  |
| <b>LB CLASS</b> | 12    | 14    | 16    | 20    | 25    | 30    | 40    | 50    |

FLUOROCARBON COATED



ABRASION RESISTANCE



HIGH TENACITY



SOFT



LOW STRETCH



SINKING



SMOOTH



WHITE - 00

**ASSO PINK HUNTER NEW!** NYLON LINE FNASDI142


Asso Pink Hunter is the visible/invisible fluorocarbon coated nylon line letting anglers easily play against suspicious fishes. You see it, they don't!



- 150 M FROM Ø 0.128 TO Ø 0.370
- 300 M FROM Ø 0.165 TO Ø 0.405

|                 |       |       |       |       |       |       |
|-----------------|-------|-------|-------|-------|-------|-------|
| <b>DIAM mm</b>  | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.218 |
| <b>GO</b>       | 0.6   | 0.8   | 1.0   | 1.2   | 1.5   | 1.7   |
| <b>LB CLASS</b> | 3     | 4     | 5     | 6     | 7     | 8     |
| <b>TEST/KG</b>  | 1.4   | 1.8   | 2.3   | 2.7   | 3.2   | 3.6   |
| <b>DIAM mm</b>  | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |
| <b>GO</b>       | 2.0   | 2.5   | 3.0   | 3.5   | 5.0   | 6.0   |
| <b>LB CLASS</b> | 10    | 12    | 15    | 20    | 25    | 30    |
| <b>TEST/KG</b>  | 4.5   | 5.5   | 6.8   | 9.1   | 11.4  | 13.6  |


FLUOROCARBON COATED



FOR REEL




LOW STRETCH



FOR LEADERS



LOW VIS



PINK - 40


## ASSO BIG CATCH

100% FLUOROCARBON

FFASDI100



Asso Big catch is developed for coastal trolling and deep-sea fishing but is also usable for other fishing techniques. It features a smooth and resistant surface which guarantees superior knot strength and optimal abrasion resistance. It is invisible and especially suitable for leaders.



50 YDS FROM 10 LB TO 125 LB

|         |       |       |       |       |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm | 0.249 | 0.288 | 0.341 | 0.405 | 0.441 | 0.489 | 0.625 | 0.719 | 0.799 | 0.915 | 0.995 | 1.070 |
| TEST/LB | 10    | 12    | 15    | 20    | 25    | 30    | 40    | 50    | 60    | 80    | 100   | 125   |


## ASSO INVISIBLE BIG GAME

100% FLUOROCARBON

FFASDI114



Asso Invisible Big Game is a large-diameter trolling fluorocarbon line, suitable for big game and drifting. Diameters are calibrated and can cover very high poundages. This fluorocarbon line is invisible and features a very high abrasion resistance. The type of Pvcf used guarantees a particular softness and allows for exceptional knot resistance. Proposed in 20m hanks to facilitate use, especially in large sizes. Particularly suitable for leaders.



20 M

|         |      |      |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|------|------|
| DIAM mm | 0.50 | 0.60 | 0.70 | 0.85 | 1.00 | 1.15 | 1.30 | 1.50 | 1.70 | 2.00 |
| TEST/KG | 13.8 | 18.4 | 22.7 | 31.7 | 40.8 | 54.4 | 68.0 | 90.7 | 113  | 136  |
| TEST/LB | 30.0 | 40.0 | 50.0 | 70.0 | 90.0 | 120  | 150  | 200  | 250  | 300  |

## ASSO INVISIBLE CLEAR

100% FLUOROCARBON

FFASDI120 - FFASDI121



Abrasion resistant fluorocarbon line which ensures a long product life. It has a refractive index tending to zero the first meters under water which guarantees almost total invisibility and which allows to increase the catches even for beginners. The high specific weight ensures to hold the fishing position. Extremely waterproof, it allows you to keep the strength unaltered in any situation. It has a low elongation and is totally insensitive to temperatures even in prohibitive climatic conditions. Especially suitable for leaders.

PARALLEL SPOILING



30 M/33 YDS FROM Ø 0.60 TO Ø 1.00  
50 M/55 YDS FROM Ø 0.11 TO Ø 0.50

|         |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|
| DIAM mm | 0.11 | 0.13 | 0.15 | 0.17 | 0.19 | 0.21 |      |
| TEST/KG | 1.1  | 1.3  | 1.7  | 2.3  | 2.8  | 3.4  |      |
| TEST/LB | 2.4  | 2.9  | 3.7  | 5.1  | 6.2  | 7.5  |      |
| DIAM mm | 0.23 | 0.25 | 0.28 | 0.30 | 0.35 | 0.40 |      |
| TEST/KG | 3.8  | 4.6  | 5.4  | 6.0  | 7.8  | 10.8 |      |
| TEST/LB | 8.4  | 10.1 | 11.9 | 13.2 | 17.2 | 23.8 |      |
| DIAM mm | 0.45 | 0.50 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 |
| TEST/KG | 12.2 | 14.2 | 21   | 30   | 33   | 40   | 49   |
| TEST/LB | 26.9 | 31.3 | 46.3 | 66.1 | 72.7 | 88.2 | 108  |



**ASSO INVISIBLE PINK**

**100% FLUOROCARBON**

FFASDI123



Fluorocarbon line especially designed for boat fishing. Its pink coloring enhances the typical invisibility of fluorocarbon, especially the first meters underwater. The high abrasion resistance allows boat fishing in any condition. It provides a controlled rigidity to resist changes in sea currents. It is available in a wide range of medium / large diameters and comes packaged on an extra large reel to avoid the mechanical memory in the pre-use phase. Especially suitable for leaders.



ABRASION RESISTANCE



LOW VIS



FOR LEADERS



PINK - 42

|         |      |      |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|------|------|
| DIAM mm | 0.30 | 0.35 | 0.40 | 0.45 | 0.50 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 |
| TEST/KG | 6.50 | 8.30 | 11.3 | 12.7 | 14.7 | 21.0 | 30.5 | 33.6 | 41.0 | 49.8 |
| TEST/LB | 14.3 | 18.3 | 24.9 | 28.0 | 32.4 | 46.3 | 67.2 | 74.0 | 90.3 | 107  |

30 M

**ASSO SUPERFLUOROCARBON HIGH STRETCH**

**100% FLUOROCARBON**

FFASDI105



Fluorocarbon monofilament with high stretch ranging from one and a half to double compared to traditional fluorocarbon monofilaments. Specific for combination with braids and low stretch monofilaments. It allows an optimal bait presentation and a better recovery of the prey. Particularly suitable for leaders.



ABRASION RESISTANCE



LOW VIS



FOR LEADERS



HIGH STRETCH



WHITE - 00

|         |       |       |       |       |       |       |       |       |       |        |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| DIAM mm | 0.134 | 0.156 | 0.176 | 0.198 | 0.219 | 0.232 | 0.259 | 0.280 | 0.300 |        |
| TEST/KG | 1.49  | 2.00  | 2.51  | 3.13  | 3.84  | 4.13  | 5.18  | 5.89  | 6.64  |        |
| TEST/LB | 3.30  | 4.40  | 5.50  | 6.90  | 8.50  | 9.10  | 11.4  | 13.0  | 14.6  |        |
| DIAM mm | 0.343 | 0.409 | 0.445 | 0.495 | 0.595 | 0.675 | 0.777 | 0.818 | 0.956 | 1.080  |
| TEST/KG | 7.00  | 9.70  | 11.0  | 13.3  | 18.2  | 22.2  | 26.2  | 28.4  | 36.3  | 45.74  |
| TEST/LB | 15.4  | 21.4  | 24.2  | 29.3  | 40.1  | 49.0  | 57.7  | 62.6  | 80.0  | 100.75 |

50 M



**ASSO 8X PE JIGGING MASTER**

**BRAIDED PE**

**FTASDI305**



Asso jigging master is a 8-ply braided line made with top quality raw material that guarantees its quality and performance over time. It changes color every 10 m, thus allowing to perfectly calibrate the fishing depth. Thanks to the new "round construction" braiding technology, this product presents an incredible and constant roundness, for an improved smoothness and perfect casting. This type of technology ensures an extremely solid braid even after several uses and in presence of any obstacles such as rocks or dense vegetation. Specifically developed for jigging and suitable for reel.

**8-PLY BRAID**

**FOR REEL**   **SOFT**   **LOW STRETCH**

**SMOOTH**

**MULTICOLOR - A1**  
 BLUE  
 ORANGE  
 GREEN  
 PURPLE  
 BLACK

**MULTICOLOR - A0**  
 YELLOW  
 LIGHT BLUE  
 ORANGE  
 GREEN  
 PINK

**DARK COLORS**

|                     |        |        |        |        |
|---------------------|--------|--------|--------|--------|
| <b>DIAM mm</b>      | 0.23   | 0.33   | 0.40   | 0.47   |
| <b>TEST/KG</b>      | 20.8   | 26.0   | 31.2   | 41.6   |
| <b>TEST/LB</b>      | 45.8   | 57.2   | 68.6   | 91.5   |
| <b>CONSTRUCTION</b> | 8X100D | 8X125D | 8X150D | 8X200D |

**LIGHT COLORS**

|                     |       |       |       |
|---------------------|-------|-------|-------|
| <b>DIAM mm</b>      | 0.12  | 0.14  | 0.18  |
| <b>TEST/KG</b>      | 8.30  | 10.4  | 15.6  |
| <b>TEST/LB</b>      | 18.2  | 22.9  | 34.3  |
| <b>CONSTRUCTION</b> | 8X40D | 8X50D | 8X75D |

100 M  
1200 M





**ASSO 8X PE PREDATOR**

BRAIDED PE

FTASDI303



Asso predator is a 8-ply braid made from top quality raw material which ensures quality and performance over time. The new "round construction" technology provides roundness and high smoothness that guarantee perfect casting. This special technology keeps the braid very solid, even after several uses and in presence of rocks and dense vegetation. It virtually has no stretch and is perfect for heavy fishing such as trolling, drifting, big game, etc. etc. Especially suitable for reel.

**8-PLY BRAID**



FOR REEL



SMOOTH



LOW STRETCH



ABRASION RESISTANCE



BLUE - 56

300 M FROM Ø 0.16 TO Ø 0.62  
1800 M FROM Ø 0.16 TO Ø 0.62

|                     |             |               |              |        |               |        |
|---------------------|-------------|---------------|--------------|--------|---------------|--------|
| <b>DIAM mm</b>      | 0.16        | 0.18          | 0.20         | 0.23   | 0.28          |        |
| <b>TEST/KG</b>      | 13.0        | 15.6          | 18.2         | 20.8   | 23.4          |        |
| <b>TEST/LB</b>      | 28.6        | 34.3          | 40.0         | 45.8   | 51.5          |        |
| <b>CONSTRUCTION</b> | 4X50D+4x75D | 8X75D         | 4X75D+4X100D | 8X100D | 4X100D+4X125D |        |
| <b>DIAM mm</b>      | 0.33        | 0.37          | 0.40         | 0.47   | 0.52          | 0.62   |
| <b>TEST/KG</b>      | 26.0        | 28.6          | 31.2         | 41.6   | 62.4          | 83.2   |
| <b>TEST/LB</b>      | 57.2        | 62.9          | 68.6         | 91.5   | 137.3         | 183.0  |
| <b>CONSTRUCTION</b> | 8X125D      | 4X125D+4X150D | 8X150D       | 8X200D | 8X300D        | 8X400D |



## ASSO 8X PE EVERGREEN

BRAIDED PE

FTASDI300



130 M FROM Ø 0.04 TO Ø 0.58  
 300 M FROM Ø 0.15 TO Ø 0.50  
 1000 M FROM Ø 0.18 TO Ø 0.58  
 1800 M FROM Ø 0.04 TO Ø 0.58

Asso PE 8X Evergreen is a 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. Especially suitable for reel.

|              |       |                 |       |       |       |                 |       |                  |
|--------------|-------|-----------------|-------|-------|-------|-----------------|-------|------------------|
| DIAM mm      | 0.04  | 0.06            | 0.08  | 0.10  | 0.12  | 0.15            | 0.18  | 0.20             |
| TEST/KG      | 4.50  | 5.60            | 6.20  | 8.30  | 9.60  | 11.8            | 13.8  | 16.0             |
| TEST/LB      | 9.9   | 12.3            | 13.6  | 18.3  | 21.1  | 26.0            | 30.4  | 35.2             |
| CONSTRUCTION | 8X20D | 4X20D+<br>4X30D | 8X30D | 8X40D | 8X50D | 4X50D+<br>4X75D | 8X75D | 4X75D+<br>4X100D |

|              |        |                   |                   |                   |        |        |        |        |
|--------------|--------|-------------------|-------------------|-------------------|--------|--------|--------|--------|
| DIAM mm      | 0.24   | 0.27              | 0.32              | 0.36              | 0.41   | 0.43   | 0.50   | 0.58   |
| TEST/KG      | 23.9   | 25.0              | 27.2              | 30.7              | 34.8   | 42.1   | 62.3   | 93.5   |
| TEST/LB      | 52.6   | 55.1              | 59.9              | 67.6              | 76.6   | 92.7   | 137.2  | 205.9  |
| CONSTRUCTION | 8X100D | 6X100D+<br>2X150D | 4X100D+<br>4X150D | 2X100D+<br>6X150D | 8X150D | 8X200D | 8X300D | 8X400D |

**8-PLY BRAID**

**MICRO DIAMETERS**

FOR REEL    SOFT    LOW STRETCH

SMOOTH

GREEN - 6A

**DURACOLOR TECHNOLOGY**

## ASSO 8X PE LURE BRAID

BRAIDED PE

FTASDI301



150 M FROM Ø 0.06 TO Ø 0.32  
 300 M FROM Ø 0.06 TO Ø 0.32  
 1800 M

Asso Lure Braid is a perfectly refined 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. 8-ply construction for better roundness. Zero stretch even in the micro-sizes. High abrasion resistance even in presence of dense vegetation. Suitable for lure fishing. Especially indicated for reel.

|              |       |             |       |       |       |
|--------------|-------|-------------|-------|-------|-------|
| DIAM mm      | 0.06  | 0.08        | 0.10  | 0.12  | 0.14  |
| TEST/KG      | 4.5   | 5.6         | 6.2   | 8.3   | 10.4  |
| TEST/LB      | 9.9   | 12.3        | 13.6  | 18.2  | 22.9  |
| CONSTRUCTION | 8X20D | 4X20D+4X30D | 8X30D | 8X40D | 8X50D |

|              |            |       |              |        |               |               |
|--------------|------------|-------|--------------|--------|---------------|---------------|
| DIAM mm      | 0.16       | 0.18  | 0.20         | 0.23   | 0.28          | 0.32          |
| TEST/KG      | 13.0       | 13.8  | 16.0         | 23.9   | 25.0          | 27.2          |
| TEST/LB      | 28.6       | 30.4  | 35.2         | 52.6   | 55.1          | 59.9          |
| CONSTRUCTION | 4X50D+4X75 | 8X75D | 4X75D+4X100D | 8X100D | 6X100D+2X150D | 100X4D+150X4D |

**UV FLUO**

**8-PLY BRAID**

**MICRO DIAMETERS**

FOR REEL    HIGH VIS    LOW STRETCH

ABRASION RESISTANCE


YELLOW - 10

**DURACOLOR TECHNOLOGY**

## ASSO 8X PE LIGHT GAMES

BRAIDED PE

FTASDI326



150 M MLC AK ONLY UP TO 4.0 GO  
 300 M  
 600 M ONLY MLC AK FROM 0.8 GO

Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.

|              |                 |       |                 |       |       |       |
|--------------|-----------------|-------|-----------------|-------|-------|-------|
| DIAM mm      | 0.128           | 0.148 | 0.165           | 0.185 | 0.205 | 0.235 |
| TEST/KG      | 6.35            | 7.26  | 9.07            | 11.34 | 13.61 | 18.14 |
| TEST/LB      | 14              | 16    | 20              | 25    | 30    | 35    |
| CONSTRUCTION | 4X10D+<br>4X20D | 8X20D | 4X20D+<br>4X30D | 8X30D | 8X40D | 8X50D |
| PE SIZE      | 0.6             | 0.8   | 1.0             | 1.2   | 1.5   | 2.0   |

|              |                 |       |        |        |        |        |
|--------------|-----------------|-------|--------|--------|--------|--------|
| DIAM mm      | 0.260           | 0.285 | 0.330  | 0.370  | 0.405  | 0.470  |
| TEST/KG      | 20.40           | 22.70 | 27.24  | 31.75  | 36.29  | 45.36  |
| TEST/LB      | 40              | 50    | 60     | 70     | 80     | 100    |
| CONSTRUCTION | 4X50D+<br>4X75D | 8X75D | 8X100D | 8X125D | 8X150D | 8X200D |
| PE SIZE      | 2.5             | 3.0   | 4.0    | 5.0    | 6.0    | 8.0    |

**8-PLY BRAID**

ABRASION RESISTANCE    HIGH VIS    FOR LEADERS

FOR REEL    SMOOTH

GREEN - 62    GREEN - 6A    MULTICOLOR - AK  
 10M WHITE/GREEN TAG  
 10M GREEN/PINK TAG  
 10M RED/GREEN TAG  
 10M PINK/GREEN TAG  
 10M BLUE/GREEN TAG



# SURFCASTING

ASSO TORNEO

NYLON LINE

FNASDI271



Designed for tournament casting, this line is supple and smooth with accurate diameters. Available in the 4 casting diameters; each diameter is a different colour meaning you can tell the diameter of a reels line just by looking at it.

AVAILABLE ON DEMAND



0.5 KG

|         |       |      |        |        |
|---------|-------|------|--------|--------|
| DIAM mm | 0.25  | 0.28 | 0.31   | 0.35   |
| M       | 8514  | 6787 | 5537   | 4344   |
| COLOUR  | GREEN | BLUE | ORANGE | YELLOW |

ASSO KNIGHT NEW!

NYLON LINE

FNASDI291



High tenacity Japanese line suitable for both day and night fishing thanks to its hi-vis color and fluorescence to UV light. The fluorocarbon coating ensures great abrasion resistance. The low memory makes it perfect for casting.



150 M  
1200 M FROM Ø 0.128 TO Ø 0.370  
1000 M Ø 0.405

|          |       |       |       |       |       |       |       |
|----------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm  | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.218 |       |
| GO       | 0.6   | 0.8   | 1.0   | 1.25  | 1.5   | 1.75  |       |
| TEST/KG  | 0.9   | 1.4   | 1.8   | 2.3   | 2.7   | 3.2   |       |
| LB CLASS | 2.0   | 3.0   | 4.0   | 5.0   | 6.0   | 7.0   |       |
| DIAM mm  | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |
| GO       | 2.0   | 2.5   | 3.0   | 3.5   | 4.0   | 5.0   | 6.0   |
| TEST/KG  | 3.6   | 4.5   | 5.4   | 6.4   | 6.8   | 8.2   | 9.1   |
| LB CLASS | 8.0   | 10.0  | 12.0  | 14.0  | 16.0  | 18.0  | 20.0  |


ASSO PINK HUNTER NEW!

NYLON LINE

FNASDI142



Asso Pink Hunter is the visible/invisible fluorocarbon coated nylon line letting anglers easily play against suspicious fishes. You see it, they don't!



150 M FROM Ø 0.128 TO Ø 0.370  
300 M FROM Ø 0.165 TO Ø 0.405

|          |       |       |       |       |       |       |
|----------|-------|-------|-------|-------|-------|-------|
| DIAM mm  | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.218 |
| GO       | 0.6   | 0.8   | 1.0   | 1.2   | 1.5   | 1.7   |
| LB CLASS | 3     | 4     | 5     | 6     | 7     | 8     |
| TEST/KG  | 1.4   | 1.8   | 2.3   | 2.7   | 3.2   | 3.6   |
| DIAM mm  | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |
| GO       | 2.0   | 2.5   | 3.0   | 3.5   | 5.0   | 6.0   |
| LB CLASS | 10    | 12    | 15    | 20    | 25    | 30    |
| TEST/KG  | 4.5   | 5.5   | 6.8   | 9.1   | 11.4  | 13.6  |

## ASSO SENTINEL NEW!

NYLON LINE

FNASDI145



Thanks to Japanese advanced technologies Asso Sentinel gives anglers an extraordinary sensitivity and all the other benefits brought by its fluorocarbon coating. Feel it, catch it!

FLUOROCARBON COATED



WHITE - 00

50 M  
150 M FROM Ø 0.128 TO Ø 0.370  
300 M FROM Ø 0.165 TO Ø 0.405  
270 M Ø 0.470  
220 M Ø 0.520

|          |       |       |       |       |       |       |       |       |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm  | 0.083 | 0.104 | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |
| GO       | 0.25  | 0.4   | 0.6   | 0.8   | 10    | 12    | 15    | 20    |
| TEST/KG  | 0.5   | 0.9   | 1.4   | 1.8   | 2.3   | 2.7   | 3.6   | 4.5   |
| TEST/LB  | 1     | 2     | 3     | 4     | 5     | 6     | 8     | 10    |
| DIAM mm  | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 |
| GO       | 2.5   | 3.0   | 3.5   | 4.0   | 5.0   | 6.0   | 8.0   | 10.0  |
| TEST/KG  | 5.4   | 6.4   | 7.3   | 9.1   | 11.4  | 13.6  | 18.2  | 22.7  |
| LB CLASS | 12    | 14    | 16    | 20    | 25    | 30    | 40    | 50    |

## ASSO SURF NEW!

NYLON LINE

FNASDI043



This special copolymer is especially designed for surfcasting, guaranteeing a longer casting distance, high abrasion resistance, high visibility and great performances also in extreme weather conditions. Available in I.g.f.a contests standards compliant versions.

IGFA CLASS



BLUE - 54

1000 M FROM Ø 0.12 TO Ø 0.39  
2000 M Ø 0.26  
2500 M Ø 0.23  
3000 M FROM Ø 0.12 TO Ø 0.20

\* I.G.F.A.

|         |       |       |       |      |       |       |      |       |
|---------|-------|-------|-------|------|-------|-------|------|-------|
| DIAM mm | 0.12* | 0.14  | 0.16* | 0.18 | 0.20* | 0.23* | 0.26 | 0.28* |
| TEST/LB | 2     | 3     | 4     | 5    | 6     | 8     | 10   | 12    |
| DIAM mm | 0.30  | 0.34* | 0.39* |      |       |       |      |       |
| TEST/LB | 14    | 16    | 20    |      |       |       |      |       |



## ASSO TRIGGER **NEW!**

**NYLON LINE**

FNASDI290

Strong, abrasion resistant tripolymer Japanese line for top casting performances. UV-fluorescent to make night fishing easy.



- 150 M •
- 300 M •
- 1200 M
- 3000 M
- PARALLEL SPOOLING

|                |       |       |       |       |       |       |       |       |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| <b>DIAM mm</b> | 0.148 | 0.165 | 0.185 | 0.205 | 0.218 | 0.247 | 0.260 | 0.274 |
| <b>GO</b>      | 0.8   | 1.0   | 1.2   | 1.5   | 1.7   | 2.25  | 2.5   | 2.75  |
| <b>TEST/LB</b> | 3.0   | 4.0   | 5.0   | 6.0   | 8.0   | 9.0   | 10.0  | 12.0  |
| <b>TEST/KG</b> | 1.4   | 1.8   | 2.3   | 2.7   | 3.6   | 4.1   | 4.5   | 5.4   |

|                |       |       |       |       |       |       |       |
|----------------|-------|-------|-------|-------|-------|-------|-------|
| <b>DIAM mm</b> | 0.285 | 0.310 | 0.330 | 0.405 | 0.435 | 0.470 | 0.520 |
| <b>GO</b>      | 3.0   | 3.5   | 4.0   | 6.0   | 7.0   | 8.0   | 10.0  |
| <b>TEST/LB</b> | 14.0  | 16.0  | 18.0  | 20.0  | 25.0  | 30.0  | 35.0  |
| <b>TEST/KG</b> | 6.4   | 7.3   | 8.2   | 9.1   | 11.4  | 13.6  | 15.9  |

**PARALLEL SPOOLING**

**UV FLUO**

**FLUOROCARBON COATED**



ABRASION RESISTANCE



HIGH TENACITY



SOFT



LOW STRETCH



SINKING



SMOOTH



BLUE - 54



HIGH VIS

## ASSO TAPERED SHOCK LEADERS

NYLON LINE

FNASDI261



5X15 M / 10X15 M

Asso Tapered Shock Leaders are tapered lines with exceptional transparency, combined with a high linear and knot breaking strength. Thanks to the use of a new copolymer, they guarantee very high performances.



|         |           |           |
|---------|-----------|-----------|
| DIAM mm | 0.20-0.57 | 0.23-0.57 |
|---------|-----------|-----------|

### TAPERED STRUCTURE



ABRASION RESISTANCE

FOR SHOCK LEADERS

SOFT




WHITE - 00

## ASSO TAPERED LINE

NYLON LINE

FNASDI26B



220 M

Asso Tapered Line is a 220 m tapered monofilament with a built-in 20m tapered leader. Colors alternate every 25 m (white, blue, yellow, red) to get even greater control on the cast distance, ensuring you keep putting your bait in the same place. It features an extra-smooth surface and is specifically developed as a shock absorber in the launch phase. A wide range of diameters is available. Especially suitable for reel.

### TAPERED STRUCTURE



FOR REEL + SHOCK LEADERS

FOR REEL



MULTICOLOR - AB  
WHITE, BLUE, YELLOW AND RED  
ONE COLOR EVERY 25 METERS,  
AND LAST 20 M TAPERED LINE



ORANGE - 21

#### ORANGE

|         |           |           |           |           |
|---------|-----------|-----------|-----------|-----------|
| DIAM mm | 0.16-0.57 | 0.18-0.57 | 0.20-0.57 | 0.23-0.57 |
| TEST/LB | 4-50      | 5-50      | 6-50      | 8-50      |

#### MULTICOLOR

|         |           |           |           |           |           |
|---------|-----------|-----------|-----------|-----------|-----------|
| DIAM mm | 0.14-0.37 | 0.14-0.57 | 0.16-0.47 | 0.16-0.57 | 0.18-0.50 |
| TEST/LB | 3-20      | 3-50      | 4-35      | 4-50      | 5-40      |

|         |           |           |           |           |           |
|---------|-----------|-----------|-----------|-----------|-----------|
| DIAM mm | 0.18-0.57 | 0.20-0.57 | 0.23-0.57 | 0.26-0.57 | 0.35-0.70 |
| TEST/LB | 5-50      | 6-50      | 8-50      | 10-50     | 18-80     |

## ASSO TAPERED SHOCK LEADERS 5X15M-10X15M

NYLON LINE

FNASDI263




NEW COLOR  
PINK SOLID

5X15 M  
10X15 M

5X15:  
WHITE, YELLOW E ORANGE: ALL DIAMETERS  
RED: ONLY DIAMETERS FROM 0.35-0.65 TO 0.38-0.75

10X15:  
WHITE: IN STOCK UP TO 0.25-0.45  
ORANGE: IN STOCK 0.16-0.45, 0.18-0.50  
AND FROM 0.20-0.57 TO 0.25-0.45  
PINK: IN STOCK 0.16-0.57 AND FROM 0.18-57 TO 0.23-0.57  
ALL OTHER COLORS AND DIAMETERS: ON DEMAND

Asso shock leaders are designed to guarantee longer castings and naturally absorb the casting stress, even after long-term use. Available in 4 different colors and a wide range of sizes to meet any need. Particularly suitable for leaders.



#### 5X15 M

|         |           |           |           |           |
|---------|-----------|-----------|-----------|-----------|
| DIAM mm | 0.16-0.45 | 0.18-0.50 | 0.18-0.57 | 0.20-0.57 |
| TEST/LB | 4-25      | 5-30      | 5-45      | 6-45      |
| DIAM mm | 0.23-0.57 | 0.25-0.45 | 0.30-0.50 | 0.35-0.65 |
| TEST/LB | 8-45      | 10-25     | 12-30     | 15-50     |
| DIAM mm | 0.35-0.70 | 0.38-0.75 |           |           |
| TEST/LB | 15-60     | 18-70     |           |           |

#### 10X15 M

|         |           |           |           |           |           |
|---------|-----------|-----------|-----------|-----------|-----------|
| DIAM mm | 0.16-0.45 | 0.16-0.57 | 0.18-0.50 | 0.18-0.57 | 0.20-0.57 |
| TEST/LB | 4-25      | 4-45      | 5-30      | 5-45      | 6-45      |
| DIAM mm | 0.23-0.57 | 0.25-0.45 | 0.30-0.50 | 0.35-0.65 |           |
| TEST/LB | 8-45      | 10-25     | 12-30     | 15-50     |           |
| DIAM mm | 0.35-0.70 | 0.38-0.75 |           |           |           |
| TEST/LB | 15-60     | 18-70     |           |           |           |

### TAPERED STRUCTURE



FOR LEADERS + SHOCK LEADERS

HIGH VIS

FOR LEADERS



YELLOW - 13



ORANGE - 21



WHITE - 00



PINK - 40 SOLID  
(ONLY 10X15M)



RED - 32  
(ONLY 5X15M)







## ASSO INVISIBLE CLEAR

100% FLUOROCARBON

FFASDI120 - FFASDI121



Abrasion resistant fluorocarbon line which ensures a long product life. It has a refractive index tending to zero the first meters under water which guarantees almost total invisibility and which allows to increase the catches even for beginners. The high specific weight ensures to hold the fishing position. Extremely waterproof, it allows you to keep the strength unaltered in any situation. It has a low elongation and is totally insensitive to temperatures even in prohibitive climatic conditions. Especially suitable for leaders.

### PARALLEL SPOOLING



ABRASION RESISTANCE



LOW VIS



LOW STRETCH



FOR LEADERS



WHITE - 00

|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.11 | 0.13 | 0.15 | 0.17 | 0.19 | 0.21 |
| TEST/KG | 1.1  | 1.3  | 1.7  | 2.3  | 2.8  | 3.4  |
| TEST/LB | 2.4  | 2.9  | 3.7  | 5.1  | 6.2  | 7.5  |

|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.23 | 0.25 | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/KG | 3.8  | 4.6  | 5.4  | 6.0  | 7.8  | 10.8 |
| TEST/LB | 8.4  | 10.1 | 11.9 | 13.2 | 17.2 | 23.8 |

|         |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|
| DIAM mm | 0.45 | 0.50 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 |
| TEST/KG | 12.2 | 14.2 | 21   | 30   | 33   | 40   | 49   |
| TEST/LB | 26.9 | 31.3 | 46.3 | 66.1 | 72.7 | 88.2 | 108  |

30 M/33 YDS FROM Ø 0.60 TO Ø 1.00  
50 M/55 YDS FROM Ø 0.11 TO Ø 0.50



## ASSO SUPERFLUOROCARBON

100% FLUOROCARBON

FFASDI130



Very soft and extremely tough next-gen fluorocarbon line, featuring an innovative PVDF and a cutting-edge extrusion process. It has a smooth and pasty surface to ensure perfect knots and controlled stretch. Line specifically designed for professional anglers, but can also be used successfully by rookies thanks to the great softness that makes it easy to use. Especially suitable for leaders.

ABRASION  
RESISTANCE

LOW VIS



SOFT



FOR LEADERS



WHITE - 00

|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.10 | 0.13 | 0.15 | 0.17 | 0.19 | 0.21 |
| TEST/KG | 0.80 | 1.64 | 2.10 | 2.60 | 3.10 | 3.80 |
| TEST/LB | 1.80 | 3.60 | 4.60 | 5.70 | 6.80 | 8.30 |
| DIAM mm | 0.23 | 0.25 | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/KG | 4.30 | 5.30 | 6.00 | 6.90 | 8.70 | 12.0 |
| TEST/LB | 9.40 | 11.6 | 13.2 | 15.2 | 19.2 | 26.4 |

50 M

## ASSO CLASSIC SHOCK LEADER

NYLON LINE

FNASDI260



Asso Classic Shock Leader è prodotto con un copolimero di nylon di prima qualità. Ideale come shock leader, ha una superficie molto dura e resistente che assorbe stress e shock anche dopo molti utilizzi in condizioni estreme. Allungamento controllato in rapporto a una buona rigidità. Privo di memoria permette di eseguire nodi con facilità. Particolarmente indicato per terminali.



50 M

|         |      |      |      |
|---------|------|------|------|
| DIAM mm | 0.65 | 0.70 | 0.80 |
| TEST/LB | 50   | 60   | 70   |

## ASSO OBLIVION

NYLON LINE

FNASDI044



This nylon monofilament with no mechanical memory is extremely soft and allows even beginners to make perfect knots. It's a perfect shock leader, also available in large diameters to cover the needs of different disciplines. Especially suitable for leaders.



100 M/110 YDS

|         |      |      |      |      |      |
|---------|------|------|------|------|------|
| DIAM mm | 0.40 | 0.45 | 0.50 | 0.55 | 0.60 |
| TEST/LB | 15   | 20   | 25   | 30   | 40   |

## ASSO ULTRAFLEX

NYLON LINE

FNASDI021



Asso Ultraflex is an extremely soft nylon monofilament with no mechanical memory, which allows to make perfect knots. Its excellent ductility makes it easy to handle even for beginners. Suitable for branch lines and perfect as shock leader and ring making. Available in high poundage, suitable for various disciplines. Unlike most soft lines, Asso Ultraflex features a very low stretch and accentuated flexibility. Transparent white and fluo orange colors. Particularly suitable for leaders.



65 M  
WHITE FROM Ø 0.60 TO Ø 0.80  
ORANGE FROM Ø 0.65 TO Ø 0.80

|         |      |      |      |      |      |
|---------|------|------|------|------|------|
| DIAM mm | 0.60 | 0.65 | 0.70 | 0.75 | 0.80 |
| TEST/LB | 40   | 50   | 60   | 70   | 80   |



## ASSO 8X PE LIGHT GAMES

BRAIDED PE

FTASDI326




Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.

### TRECCIATO 8 CAPI



|              |               |       |               |       |       |       |
|--------------|---------------|-------|---------------|-------|-------|-------|
| DIAM mm      | 0.128         | 0.148 | 0.165         | 0.185 | 0.205 | 0.235 |
| TEST/KG      | 6.35          | 7.26  | 9.07          | 11.34 | 13.61 | 18.14 |
| TEST/LB      | 14            | 16    | 20            | 25    | 30    | 35    |
| CONSTRUCTION | 4X10D + 4X20D | 8X20D | 4X20D + 4X30D | 8X30D | 8X40D | 8X50D |
| PE SIZE      | 0.6           | 0.8   | 1.0           | 1.2   | 1.5   | 2.0   |

|              |               |       |        |        |        |        |
|--------------|---------------|-------|--------|--------|--------|--------|
| DIAM mm      | 0.260         | 0.285 | 0.330  | 0.370  | 0.405  | 0.470  |
| TEST/KG      | 20.40         | 22.70 | 27.24  | 31.75  | 36.29  | 45.36  |
| TEST/LB      | 40            | 50    | 60     | 70     | 80     | 100    |
| CONSTRUCTION | 4X50D + 4X75D | 8X75D | 8X100D | 8X125D | 8X150D | 8X200D |
| PE SIZE      | 2.5           | 3.0   | 4.0    | 5.0    | 6.0    | 8.0    |



150 M MLC AK ONLY UP TO 4.0 GO  
300 M  
600 M ONLY MLC AK FROM 0.8 GO



**LIGHT FISHING**

ASSO TROUT AREA NYLON SOFT


NYLON LINE

FNASDIT01



Asso Trout Area Nylon Soft is a top quality monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. Very soft and suitable for trout area game. This line features a smooth surface for better castings and very high abrasion resistance, even in stress conditions. Very sensitive and with low stretch, perfect in conditions with underactive fish. Especially suitable for reel.

IDEAL FOR TROUT AREA



GREEN - 64

|         |       |       |       |       |
|---------|-------|-------|-------|-------|
| DIAM mm | 0.104 | 0.128 | 0.148 | 0.165 |
| GO      | 0.4   | 0.6   | 0.8   | 1.0   |
| LB      | 2     | 3     | 4     | 5     |

100 M

ASSO TROUT AREA NYLON HARD


NYLON LINE

FNASDIT02



Asso Trout Area Nylon Hard is a top quality monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. It is very stiff and perfect for trout area game. This line features a smooth surface for better castings and very high abrasion resistance, even in stress conditions. Its low stretch allows a better sensitivity. Perfect in conditions with very active fish. Especially suitable for reel.

IDEAL FOR TROUT AREA



GREY - 73

|         |       |       |       |       |
|---------|-------|-------|-------|-------|
| DIAM mm | 0.104 | 0.128 | 0.148 | 0.165 |
| GO      | 0.4   | 0.6   | 0.8   | 1.0   |
| LB      | 2     | 3     | 4     | 5     |

100 M

ASSO TROUT AREA FLUOROCARBON

100% FLUOROCARBON

FFASDIT04



Asso Trout Area Fluorocarbon is a 100% fluorocarbon monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. It is very sensitive with basically zero stretch. Excellent linear and knot resistance, also thanks to the extremely strong surface which guarantees above average resistance to stress and abrasion. It's very soft and allows long castings even with light baits. Clear coloring for excellent transparency. Especially suitable for reel.

IDEAL FOR TROUT AREA



WHITE - 00

|         |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|
| DIAM mm | 0.093 | 0.104 | 0.117 | 0.128 | 0.148 |
| GO      | 0.3   | 0.4   | 0.5   | 0.6   | 0.8   |
| TEST/LB | 15    | 1.75  | 2     | 3     | 4     |

100 M



## ASSO AJING SHOCK LEADER

100% FLUOROCARBON

FFASDIT07



Asso Super Ajing Shock Leader is a 100% fluorocarbon monofilament produced with an innovative extrusion system that guarantees extreme strength and quality at every point of the line. It's very sensitive and perfect for ajing game. Also perfect as shock leader. Thin diameters with high linear and knot breaking strength. Excellent abrasion resistance. Clear coloring for excellent transparency. Especially suitable for leaders.

IDEAL FOR AJING

MICRO DIAMETERS



FOR SHOCK LEADERS



FOR LEADERS



WHITE - 00

| DIAM mm | 0.093 | 0.104 | 0.117 | 0.128 | 0.148 |
|---------|-------|-------|-------|-------|-------|
| GO      | 0.3   | 0.4   | 0.5   | 0.6   | 0.8   |
| TEST/LB | 1.5   | 1.75  | 2.0   | 3.0   | 4.0   |

30 M

## ASSO SUPER ESTER

ESTER

FPASDIT05



Asso Super Ester is a monofilament produced with a heavier than nylon raw material which ensures a great sinking speed. It is a super stiff line with zero stretch which makes it very sensitive when biting, perfect when using micro-spoons. Its smooth and resistant surface allows long and precise castings, even with small baits. Especially suitable for reel.



FOR REEL



LOW STRETCH



HARD



SINKING



WHITE - 02 FLUO

| DIAM MM | 0.074 | 0.082 | 0.090 | 0.104 | 0.117 | 0.128 |
|---------|-------|-------|-------|-------|-------|-------|
| GO      | 0.2   | 0.25  | 0.3   | 0.4   | 0.5   | 0.6   |
| TEST/LB | 1.00  | 1.25  | 1.50  | 2.00  | 2.50  | 3.00  |

200 M





## ASSO 3X PE LIGHT GAMES

BRAIDED PE

FTASDI308



3-ply braid particularly suitable for light fishing styles such as finesse, trout area and light game. Available in ultra-thin diameters suitable for fishing techniques with light equipment. Very tenacious, it has zero elongation and guarantees high visibility. Built with superior quality fibers that guarantee the maintenance of performance even after intense use. Especially suitable for reel.

3-PLY BRAID

MICRO DIAMETERS



GREEN - 62

|              |       |       |       |       |
|--------------|-------|-------|-------|-------|
| DIAM mm      | 0.02  | 0.04  | 0.06  | 0.08  |
| TEST/KG      | 1.82  | 2.72  | 3.63  | 4.54  |
| TEST/LB      | 4     | 6     | 8     | 10    |
| CONSTRUCTION | 3X20D | 3X30D | 3X40D | 3X50D |

100 M

## ASSO 4X PE SUPER AJING

BRAIDED PE

FTASDIT06




Asso Super Ajing Pe 4x is a 4-ply braid produced with top quality raw material to guarantee top quality and performance over time. The next-gen braiding system makes this product extremely abrasion resistant. It's especially designed for ajing game and other light game techniques. Diameters are very thin and provide high sensitivity, allowing to perceive every bite. The high sensitivity also allows longer casts. It sinks very quickly thanks to the high specific weight of the fibers. Available in orange high visibility coloring. Especially suitable for reel.

4-PLY BRAID

IDEAL FOR AJING

MICRO DIAMETERS



ORANGE - 22

|         |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|
| DIAM mm | 0.074 | 0.086 | 0.104 | 0.117 | 0.128 |
| PE SIZE | 0.2   | 0.3   | 0.4   | 0.5   | 0.6   |
| TEST/LB | 3.0   | 5.0   | 6.0   | 8.0   | 10.0  |

|              |       |       |       |       |       |
|--------------|-------|-------|-------|-------|-------|
| CONSTRUCTION | 4x10D | 4x15D | 4x20D | 4x25D | 4x30D |
|--------------|-------|-------|-------|-------|-------|

150 M



**ASSO SUPER PE ULTRALIGHT GAMES** BRAIDED PE FTASDI328



Japanese 4-ply braided line developed with latest generation fibers and braiding techniques that guarantee high abrasion resistance, smoothness and high performance. Suitable for all ultra light spinning techniques such as street fishing, rock fishing, flats fishing and trout area, where thin diameters and sensitivity are the basis of the fishing philosophy and results.

**4-PLY BRAID**

**MICRO DIAMETERS**



ABRASION RESISTANCE



LOW STRETCH



HIGH TENACITY



NO MEMORY



FOR REEL



GREEN - 62

|              |       |       |       |       |       |
|--------------|-------|-------|-------|-------|-------|
| DIAM mm      | 0.074 | 0.090 | 0.104 | 0.117 | 0.128 |
| TEST/KG      | 1.60  | 2.10  | 2.90  | 3.30  | 4.50  |
| TEST/LB      | 3.0   | 5.0   | 6.0   | 8.0   | 10.0  |
| CONSTRUCTION | 4X10D | 4X15D | 4X20D | 4X25D | 4X30D |
| PE SIZE      | 0.2   | 0.3   | 0.4   | 0.5   | 0.6   |

150 M


**ASSO 8X PE MICRO BRAID** BRAIDED PE FTASDI302




Asso Microbraid is a 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "pro-glide" technology offers great smoothness and ensures longer casts. It also provides high abrasion resistance, especially in presence of dense vegetation. Particularly suitable for light fishing styles such as finesse, trout area and light game. Perfect for reel.

**8-PLY BRAID**


**MICRO DIAMETERS**




FOR REEL




LOW STRETCH




SMOOTH



ABRASION RESISTANCE



BROWN - 84



|              |            |             |              |        |       |
|--------------|------------|-------------|--------------|--------|-------|
| DIAM mm      | 0.06       | 0.08        | 0.10         | 0.12   | 0.14  |
| TEST/KG      | 4.5        | 5.6         | 6.2          | 8.3    | 10.4  |
| TEST/LB      | 9.9        | 12.3        | 13.6         | 18.2   | 22.9  |
| CONSTRUCTION | 8X20D      | 4X20D+4X30D | 8X30D        | 8X40D  | 8X50D |
| DIAM mm      | 0.16       | 0.18        | 0.20         | 0.23   |       |
| TEST/KG      | 13.0       | 15.6        | 18.2         | 20.8   |       |
| TEST/LB      | 28.6       | 34.3        | 40.0         | 45.8   |       |
| CONSTRUCTION | 4X50D+4X75 | 8X75D       | 8X75D+4X100D | 8X100D |       |

150 M  
1800 M

## ASSO 8X PE EGING MASTER

BRAIDED PE

FTASDI315



Asso 8xPE8 Eging Master is a perfectly refined 8-ply braid made from ultra-thin and resistant nanofibers. The innovative braiding system ensures extreme solidity. The braid is soft and silky. The surface is perfectly round and guarantees incredible smoothness and no sound while passing through the rod rings. The special pink coloring makes it particularly suitable for eging. Especially suitable for reel.

### 8-PLY BRAID




|              |                 |       |                 |       |       |
|--------------|-----------------|-------|-----------------|-------|-------|
| DIAM mm      | 0.128           | 0.148 | 0.165           | 0.185 | 0.210 |
| TEST/KG      | 5.0             | 6.3   | 8.8             | 10.0  | 11.3  |
| TEST/LB      | 11.0            | 13.9  | 19.4            | 22.0  | 24.9  |
| CONSTRUCTION | 4X10D+<br>4x20D | 8X20D | 4X20D+<br>4x30D | 8X30D | 8x40D |

120 M

## ASSO 8X PE LIGHT GAMES

BRAIDED PE

FTASDI326



Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.

### 8-PLY BRAID



|              |                 |       |                 |       |       |       |
|--------------|-----------------|-------|-----------------|-------|-------|-------|
| DIAM mm      | 0.128           | 0.148 | 0.165           | 0.185 | 0.205 | 0.235 |
| TEST/KG      | 6.35            | 7.26  | 9.07            | 11.34 | 13.61 | 18.14 |
| TEST/LB      | 14              | 16    | 20              | 25    | 30    | 35    |
| CONSTRUCTION | 4X10D+<br>4x20D | 8X20D | 4X20D+<br>4x30D | 8X30D | 8X40D | 8X50D |
| PE SIZE      | 0.6             | 0.8   | 1.0             | 1.2   | 1.5   | 2.0   |

|              |                 |       |        |        |        |        |
|--------------|-----------------|-------|--------|--------|--------|--------|
| DIAM mm      | 0.260           | 0.285 | 0.330  | 0.370  | 0.405  | 0.470  |
| TEST/KG      | 20.40           | 22.70 | 27.24  | 31.75  | 36.29  | 45.36  |
| TEST/LB      | 40              | 50    | 60     | 70     | 80     | 100    |
| CONSTRUCTION | 4X50D+<br>4x75D | 8X75D | 8X100D | 8X125D | 8X150D | 8X200D |
| PE SIZE      | 2.5             | 3.0   | 4.0    | 5.0    | 6.0    | 8.0    |

150 M MLC AK ONLY UP TO 4.0 GO  
300 M  
600 M ONLY MLC AK FROM 0.8 GO



# CARP FISHING

**ASSO MAINLINE**

NYLON LINE

FNASDI273



Asso Mainline is a nylon standard monofilament enhanced to meet all the needs of carp anglers. High smoothness and ease in casting thanks to its smooth surface. Good linear and knot strength even in stress conditions. Available in two different colors for the best camouflage. Especially suitable for reel.

CARP LINE



|         |      |      |      |      |
|---------|------|------|------|------|
| DIAM MM | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/LB | 10   | 12   | 16   | 20   |

1000 M

**ASSO MAINLINE PRO**

NYLON LINE

FNASDI272



Asso Mainline Pro is a top quality nylon line improved to meet all the needs of carp anglers. High smoothness and easy casting thanks to the smooth surface. It features perfect linear and knot strength, even in stress conditions. It's extremely soft and flexible, has no mechanical memory and is perfect even for beginners, having an excellent sinking index combined with high abrasion resistance. Available in 2 different colors for the best camouflage. Especially suitable for reel.

CARP LINE



|         |      |      |      |      |
|---------|------|------|------|------|
| DIAM MM | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/LB | 10   | 12   | 16   | 20   |

1000 M

**ASSO MAINLINE MASTER**

NYLON LINE


FNASDI274



Asso Mainline Master is a fluorocarbon coated nylon monofilament designed to ensure the best performance possible. It encloses in a single product all the most important features that a carp fishing line must have. Its remarkable softness makes it extremely flexible and durable and, thanks to the fluorocarbon coating, it has an extraordinary resistance to abrasion. The higher specific weight compared to a normal nylon and the smooth surface that easily cuts the water make it perfectly sink and rest on the seabed. Thanks to its solid structure it doesn't curl, is tangle-free and has zero stretch. The fluorocarbon coating ensures an extremely smooth surface, guaranteeing easy casting and excellent smoothness. Available in two colors, for every fishing condition. Especially suitable for leaders.

CARP LINE

FLUOROCARBON COATED



|         |      |      |      |      |
|---------|------|------|------|------|
| DIAM MM | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/LB | 10   | 12   | 16   | 20   |

1000 M

## ASSO MAINLINE ABRASION



NYLON LINE

FNASDI276



Asso Mainline Abrasion is a silicone coated nylon monofilament 12 times more abrasion resistant than traditional high quality nylon lines. It's the best solution for those anglers who fish in sites where vegetation and rocks make fishing difficult. The excellent resistance ensures great durability and reliability. Tangle-free thanks to its no mechanical memory. The smooth and silky surface allows to make perfect knots. Available in three different colors for maximum camouflage. Especially suitable for reel.

CARP LINE



BICOLOR - A6 BROWN - B2 RED - 31

|         |      |      |      |      |
|---------|------|------|------|------|
| DIAM MM | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/LB | 10   | 12   | 16   | 20   |

1000 M

## ASSO SINKING MAINLINE

NYLON LINE

FNASDI278



Asso Sinking Mainline is the definitive answer to those looking for a sinking line. More material has been added during the extrusion stage to enhance the specific weight. Its oily and smooth surface allows to cut the water surface, preventing friction that can limit sinking. It has no memory and this allows the line to perfectly rest on sea-beds avoiding tangles. Excellent abrasion resistance and very low stretch. Perfect coloring for a camouflage effect in all those environments with dense vegetation. Especially suitable for reel.

CARP LINE



BROWN - 89

|         |      |      |      |      |
|---------|------|------|------|------|
| DIAM MM | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/LB | 10   | 12   | 16   | 20   |

1000 M

## ASSO FLOATER LINE

NYLON LINE

FNASDI280



Asso floater line is a top quality nylon monofilament specifically developed for carp fishing and designed to be used as mainline in case of surface fishing, or as hooklink. This monofilament is pitted to increase its flotation factor, but with extreme resistance to stress. The transparent coloring gives an extra advantage. Especially suitable for leaders.

CARP LINE

PARALLEL SPOOLING



WHITE - 00

|         |      |      |
|---------|------|------|
| DIAM MM | 0.26 | 0.28 |
| TEST/LB | 10   | 12   |

200 M



## ASSO DOUBLE TAPERED MAINLINE

NYLON LINE

FNASDI265



Asso Double Tapered Mainline is a top quality nylon monofilament with 2 leaders on the ends so that if you lose a leader you can simply reverse the line to use the other end. Perfect for distance casting, especially for waters with a ban on tied leaders. The extremely smooth and strong surface guarantees an abrasion resistance similar to that of silicone lines. Available in green coloring for less visibility. Especially suitable for reel.

|      |      |        |      |      |
|------|------|--------|------|------|
| mt 5 | mt 7 | mt 300 | mt 7 | mt 5 |
|------|------|--------|------|------|

|         |           |           |
|---------|-----------|-----------|
| DIAM mm | 0.30-0.50 | 0.33-0.50 |
| TEST/LB | 12-35     | 15-35     |

324 M

CARP LINE

TAPERED STRUCTURE



GREEN - 6A

## ASSO FLUOROCARBON MAINLINE

100% FLUOROCARBON


FFASDI137



Asso Fluorocarbon Mainline is a top quality fluorocarbon line. Thanks to the intrinsic characteristics of fluorocarbon, the line guarantees excellent sinkability and superior abrasion resistance compared to traditional nylon. The smooth surface cuts the surface of the water, avoiding frictions that can limit the sinking. Very low visibility and almost zero stretch to ensure the best performance. Parallel spooling allows the line to maintain quality over time. The absolute insensitivity to temperatures allows to fully exploit its characteristics even in prohibitive climatic conditions. Particularly suitable for reel.

PARALLEL SPOOLING

CARP LINE



WHITE - 00

|         |       |       |       |       |
|---------|-------|-------|-------|-------|
| DIAM mm | 0.294 | 0.316 | 0.350 | 0.384 |
| TEST/LB | 12    | 14    | 16    | 20    |

200 M

## ASSO SPOD & MARKER

BRAIDED PE

FTASDI320



Created with top quality PE fibers, Asso Spod & Marker Braid makes Carp Fishing easier thanks to longer casting, low elongation factor and great durability. Floating Braid. It makes it easier to recover spomb or other rockets. Especially suitable for reel.

4-PLY BRAID

CARP LINE



BROWN - 84



YELLOW - 10

|         |      |      |      |
|---------|------|------|------|
| DIAM mm | 0.20 | 0.24 | 0.27 |
| TEST/LB | 20   | 25   | 30   |

300 M







## ASSO TAPERED SHOCK LEADERS 5X15M

NYLON LINE

FNASDI263



Asso shock leaders are designed to guarantee longer castings and naturally absorb the casting stress, even after long-term use. Available in 3 different colors and a wide range of sizes to meet any need. Particularly suitable for leaders.

CARP LINE


TAPERED STRUCTURE



FOR LEADERS + SHOCK LEADERS

HIGH VIS

FOR LEADERS




YELLOW - 13

ORANGE - 21

WHITE - 00

RED - 32



5X15 M

RED ONLY DIAMETERS FROM 0.35-0.65 TO 0.38-0.75

|                |           |           |           |           |
|----------------|-----------|-----------|-----------|-----------|
| <b>DIAM mm</b> | 0.30-0.50 | 0.35-0.65 | 0.35-0.70 | 0.38-0.75 |
| <b>TEST/LB</b> | 12-30     | 15-50     | 15-60     | 18-70     |

## ASSO ZIG FLOATING LINE

NYLON LINE

FNASDI281



Asso Zig floating is a top quality nylon floating line, perfect for fishing with a zig rig. The clear coloring ensures very low visibility also thanks to its refractive index, close to zero when in contact with the water surface. It's extremely resistant to abrasion and features good linear and knot strength. Especially suitable for leaders.

CARP LINE



FLOATING

FOR LEADERS

LOW VIS



ABRASION RESISTANCE



WHITE - 00

50 M

|                |       |       |       |
|----------------|-------|-------|-------|
| <b>DIAM MM</b> | 0.227 | 0.255 | 0.281 |
| <b>TEST/LB</b> | 8     | 10    | 12    |



## ASSO FLUOROCARBON HOOKLINK

100% FLUOROCARBON

FFASDI138

Asso Fluorocarbon Hooklink is a 100% fluorocarbon soft and flexible line. Virtually invisible under water, it sinks quickly and disappears as it descends deep. Especially suitable for leaders.



### CARP LINE



ABRASION RESISTANCE



LOW VIS



FOR LEADERS



SOFT



SINKING



WHITE - 00

|         |       |       |       |       |
|---------|-------|-------|-------|-------|
| DIAM mm | 0.281 | 0.306 | 0.326 | 0.389 |
| TEST/LB | 10    | 15    | 20    | 25    |

20 M

## ASSO CHOD/STIFF RIGS

ESTER

FPASDI25A

Asso Chod/Stiff Rigs is a stiff line, with a lot of memory, easy to manipulate to get the desired shape and curvature and form perfect rigs. Very resistant to abrasion, it maintains a high knot strength and is practically invisible under water. Difficult to expel once the bait is swallowed. Especially suitable for leaders.



### CARP LINE



HARD



LOW VIS



FOR LEADERS



ABRASION RESISTANCE



WHITE - 00

|         |      |      |      |
|---------|------|------|------|
| DIAM MM | 0.30 | 0.35 | 0.40 |
| TEST/LB | 15   | 20   | 25   |

20 M



**ASSO COATED SINKING BRAID HOOKLINK SOFT**

**BRAIDED LINE**

**FTASDI323**



Asso Coated Sinking Braid Hooklink Soft is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. The soft coating makes the braid very soft, guaranteeing minimum rigidity and offering great flexibility which prevents the line from tangling and provides very high abrasion resistance. The innovative braiding system makes it very strong and ensures structural solidity, allowing to easily make excellent knots. Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Especially suitable for leaders.

**CARP LINE**



10 M

|         |    |    |    |    |
|---------|----|----|----|----|
| TEST/LB | 15 | 25 | 35 | 45 |
|---------|----|----|----|----|

**ASSO COATED SINKING BRAID HOOKLINK STIFF**

**BRAIDED LINE**

**FTASDI324**



Asso Coated Sinking Braid Hooklink Stiff is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. The stiff coating makes the braid very rigid. High abrasion resistance is guaranteed and the innovative braiding system provides an improved strength, ensuring structural solidity. Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Especially suitable for leaders.

**CARP LINE**



10 M

|         |    |    |    |    |
|---------|----|----|----|----|
| TEST/LB | 15 | 25 | 35 | 45 |
|---------|----|----|----|----|



**ASSO CLASSIC SINKING BRAID HOOKLINK SOFT**

BRAIDED LINE

FTASDI321



Asso Classic Sinking Braid Hooklink Soft is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. Thanks to its exceptional softness it is very easy to use and knot and therefore also suitable for rookies. High abrasion resistance thanks to the innovative braiding system that guarantees its structural solidity.

Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Especially suitable for leaders.

CARP LINE



ABRASION RESISTANCE

SINKING

SOFT



PER TERMINALI



GREEN 6A

20 M

|         |    |    |    |    |
|---------|----|----|----|----|
| TEST/LB | 15 | 25 | 35 | 45 |
|---------|----|----|----|----|

**ASSO PRO SINKING BRAID HOOKLINK SOFT**

BRAIDED LINE

FTASDI322



Asso Pro Sinking Braid Hooklink Soft is a malleable and soft multifibre braid that sits perfectly on any type of seabed and on algae and debris. Thanks to its exceptional softness it is very easy to use and knot and therefore also suitable for rookies. High abrasion resistance thanks to the innovative braiding system that guarantees its structural solidity.

Perfect sinkability also thanks to the smooth surface that cuts the water surface in two without generating friction. Multicolor coloring for perfect camouflage. Especially suitable for leaders.

CARP LINE



ABRASION RESISTANCE

SINKING

SOFT



FOR LEADERS



MULTICOLOR - AI

20 M

|         |    |    |    |    |
|---------|----|----|----|----|
| TEST/LB | 15 | 25 | 35 | 45 |
|---------|----|----|----|----|



**FLY FISHING**

ASSO COPOLYMER SOFT

NYLON LINE

FNASDI090



Asso Copolymer Soft is a next-gen fluorocarbon coated line that ensures maximum softness, durability and toughness. Its colouring is invisible to fish and the diameter range is very wide. It has no memory and is available in a brand new ultra-thin spool format for easy storage, with colored identification elastic band. Especially suitable for leaders.

IDEAL FOR FLY FISHING

FLUOROCARBON COATED



|              |       |      |      |      |      |      |      |      |       |      |      |
|--------------|-------|------|------|------|------|------|------|------|-------|------|------|
| MISURA       |       | 7X   | 6X   |      | 5X   | 4X   | 3X   | 2X   |       | 1X   | 0X   |
| DIAM mm      | 0.08+ | 0.10 | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 | 0.24+ | 0.26 | 0.28 |
| TEST/KG      | 0.6   | 1.0  | 1.4  | 1.9  | 2.3  | 2.9  | 3.6  | 4.3  | 5.0   | 5.8  | 6.7  |
| TEST/LB      | 1.2   | 2.2  | 3.1  | 4.2  | 5.1  | 6.4  | 7.9  | 9.5  | 11.0  | 12.8 | 14.8 |
| ELASTIC BAND |       |      |      |      |      |      |      |      |       |      |      |

50 M  
\* ON DEMAND

ASSO STRIKE INDICATOR

NYLON LINE


FNASDI092



Asso Strike Indicator is a bicolor silicone nylon monofilament with a high visibility color combination developed for European Nymphing. Colors alternate every 50 cm allowing to prepare very performing strike indicators. It features a smooth and sliding surface and is perfect in case of strong current conditions. The compound is extremely pasty and guarantees a higher abrasion resistance. Especially designed for fly fishing and suitable for leaders.

IDEALE PER FLY FISHING

PARALLEL SPOOLING



MULTICOLOR - A0  
BICOLOR YELLOW & RED INDICATOR  
25 CM YELLOW + 25 CM RED  
MULTICOLOR - AP  
YELLOW & RED INDICATOR  
35 CM YELLOW + 15 CM BLACK + 35 CM RED  
BICOLOR - A2

|         |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|
| DIAM mm | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 | 0.24 | 0.28 |
| TEST/KG | 1.7  | 2.1  | 2.5  | 3.0  | 3.7  | 4.4  | 6.0  |
| TEST/LB | 3.8  | 4.6  | 5.5  | 6.6  | 8.0  | 9.7  | 13.2 |

50 M



**ASSO FLUOROCARBON SOFT**

100% FLUOROCARBON

FFASDI108



Next-gen fluorocarbon which guarantees maximum softness combined with maximum toughness and durability. Invisible coloring to fish and wide range of diameters. It comes packaged in brand new ultra-thin spools for very easy storage, with colored identification elastic band. Particularly suitable for leaders.

IDEAL FOR FLY FISHING



ABRASION RESISTANCE



SOFT



LOW VIS



FOR LEADERS



WHITE - 00

| MISURA       | 7X   | 6X   | 5X   | 4X   | 3X   | 2X   | 1X   | 0X   |
|--------------|------|------|------|------|------|------|------|------|
| DIAM mm      | 0.10 | 0.12 | 0.15 | 0.17 | 0.20 | 0.22 | 0.26 | 0.28 |
| TEST/KG      | 0.8  | 1.6  | 2.1  | 2.6  | 3.1  | 3.8  | 5.3  | 6.0  |
| TEST/LB      | 1.8  | 3.6  | 4.6  | 5.7  | 6.8  | 8.3  | 11.6 | 13.2 |
| ELASTIC BAND |      |      |      |      |      |      |      |      |

50 M





## ASSO TENKARA LEVEL LINE

100% FLUOROCARBON

FFASDI110



Asso Tenkara Level Line is a top quality high density fluorocarbon line. It allows you to have a constant vision of the line in all light and weather conditions. It is easily visible in all fishing conditions, even in the midst of the rapids that form foam. Its material allows easier, perfect and precise castings. Thanks to the use of fluorocarbon, the monofilament is memory free and has a controlled rigidity. Especially suitable for leaders.

IDEAL FOR FLY FISHING

PARALLEL SPOILING



ABRASION RESISTANCE



LOW VIS



FOR LEADERS



LOW STRETCH



NO MEMORY



PINK - 43

|         |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|
| GO      | 2,5   | 3,0   | 3,5   | 4,0   | 5,0   |
| DIAM mm | 0,260 | 0,285 | 0,310 | 0,330 | 0,370 |
| TEST/KG | 5,4   | 6,0   | 6,9   | 7,8   | 8,4   |
| TEST/LB | 11,9  | 13,2  | 15,2  | 17,2  | 18,0  |

30 M

ASSO KNOTLESS TAPERED LEADER

NYLON LINE

FNASDI267

Asso Knotless Tapered Leader features a very strong and resistant surface. It is designed to resist and absorb constant shocks without compromising performance. It has no memory and a good softness/rigidity ratio, for a perfect fly presentation. This leader has very powerful butt and taper that perfectly fit even the most heavy flies and the typical marine pattern. Available in two different colors to guarantee low visibility in any condition. Especially suitable for leaders.

IDEALE PER FLY FISHING

TAPERED STRUCTURE




available also with PERFECTION LOOP



GREEN - 6G

7.5/9/12 FT

| SIZE | TIPPET  |           |         | BUTT    |           |
|------|---------|-----------|---------|---------|-----------|
|      | DIAM MM | DIAM INCH | TEST/LB | DIAM MM | DIAM INCH |
| 7X   | 0.104   | .004      | 2.0     | 0.405   | .015      |
| 6X   | 0.128   | .005      | 2.9     | 0.435   | .017      |
| 5X   | 0.148   | .005      | 3.7     | 0.495   | .019      |
| 4X   | 0.165   | .006      | 4.4     | 0.520   | .021      |
| 3X   | 0.205   | .008      | 6.6     | 0.520   | .021      |
| 2X   | 0.235   | .009      | 8.6     | 0.570   | .023      |
| 1X   | 0.260   | .009      | 10.3    | 0.570   | .023      |
| 0X   | 0.285   | .011      | 12.3    | 0.570   | .023      |



|       | TIPPET | TAPER  | BUTT   | TOTAL  |
|-------|--------|--------|--------|--------|
| 75 FT | 30 CM  | 130 CM | 80 CM  | 240 CM |
| 9 FT  | 50 CM  | 130 CM | 100 CM | 280 CM |
| 12 FT | 125 CM | 130 CM | 120 CM | 375 CM |

ASSO SALTWATER TAPERED LEADER

NYLON LINE

FNASDI591

Asso Saltwater Tapered Leader features a very strong and resistant surface. It is designed to resist and absorb even constant shocks without compromising performance. Very high abrasion resistance thanks to the particularly soft copolymer and low stretch. This leader features a very powerful butt and taper, suitable even to the most heavy flies and the typical marine pattern. Its transparent coloring ensures low visibility. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE




available also with PERFECTION LOOP



WHITE - 00

10 FT



| LENGTH          | SIZE          | BUTT         |                | TAPER   | TIPPET       |                |
|-----------------|---------------|--------------|----------------|---------|--------------|----------------|
|                 |               | DIAM MM/INCH | LENGTH CM/INCH |         | DIAM MM/INCH | LENGTH CM/INCH |
| 10 FT<br>306 CM | 10 LB/4.5 KG  | 0.600/0.023  | 171/67.3       | 85/33.5 | 0.265/0.010  | 50/19.7        |
|                 | 12 LB/5.4 KG  | 0.600/0.023  |                |         | 0.290/0.011  |                |
|                 | 16 LB/7.3 KG  | 0.635/0.025  |                |         | 0.339/0.013  |                |
|                 | 20 LB/9.1 KG  | 0.685/0.027  |                |         | 0.375/0.015  |                |
|                 | 25 LB/11.4 KG | 0.685/0.027  |                |         | 0.440/0.017  |                |
|                 | 30 LB/13.6 KG | 0.710/0.028  |                |         | 0.483/0.019  |                |

ASSO BASS TAPERED LEADER

NYLON LINE

FNASDI597


Asso Bass Tapered Leader features a strong and resistant surface, designed to withstand and absorb shocks, without compromising performance. This leader has a very powerful butt and taper, perfect even for the most heavy fishing flies. It's a very low stretch line and is available in transparent color, to ensure low visibility in all conditions. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE



available also with PERFECTION LOOP



| LENGTH         | SIZE  | BUTT         |                | TAPER   | TIPPET         |              |
|----------------|-------|--------------|----------------|---------|----------------|--------------|
|                |       | DIAM MM/INCH | LENGTH CM/INCH |         | LENGTH CM/INCH | DIAM MM/INCH |
| 8 FT<br>245 CM | 10 LB | 0.610/0.024  | 125/49.2       | 90/35.4 | 0.279/0.011    | 30/11.8      |
|                | 12 LB | 0.610/0.024  |                |         | 0.305/0.012    |              |
|                | 14 LB | 0.680/0.027  |                |         | 0.340/0.013    |              |
|                | 16 LB | 0.680/0.027  |                |         | 0.381/0.014    |              |

8 FT

ASSO SALMON & STEELHEAD TAPERED LEADER


NYLON LINE

FNASDI595


Asso Salmon and Steelhead Tapered Leader features a very strong and resistant surface. It is designed to resist and absorb even constant shocks without compromising performance. It has no memory and a good softness/rigidity ratio for a perfect fly presentation. Specific for salmon and steelhead trout. Suitable for large flies. Its transparent coloring ensures low visibility in all conditions. Especially suitable for leaders.

IDEAL FOR FLY FISHING

TAPERED STRUCTURE



available also with PERFECTION LOOP



| LENGTH          | SIZE  | BUTT         |              | TAPER   | TIPPET       |              |
|-----------------|-------|--------------|--------------|---------|--------------|--------------|
|                 |       | DIAM MM/INCH | SIZE CM/INCH |         | SIZE CM/INCH | DIAM MM/INCH |
| 10 FT<br>305 CM | 8 LB  | 0.610/0.024  | 170/66.9     | 90/35.4 | 0.240/0.010  | 45/17.7      |
|                 | 10 LB | 0.610/0.024  |              |         | 0.279/0.011  |              |
|                 | 12 LB | 0.660/0.026  |              |         | 0.305/0.012  |              |
|                 | 16 LB | 0.660/0.026  |              |         | 0.381/0.014  |              |

10 FT



**ASSO TROUT TAPERED LEADER**

**NYLON LINE**



FNASDI593



Asso Trout Tapered Leader has a very strong and resistant surface, designed to resist and absorb even continuous shocks without compromising performance. It has no memory and easily straightens. It features a good softness/rigidity ratio for an excellent fly presentation. Proposed in a neutral color to ensure low visibility in all conditions and ideal for bait presentations in clear waters and with suspicious fish. Especially suitable for leaders.

**IDEAL FOR FLY FISHING**

**TAPERED STRUCTURE**



WHITE - 00

7.5/9 FT

available also with  
PERFECTION LOOP

| LENGTH           | SIZE | BUTT         |                | TAPER          |              | TIPPET         |         |         |
|------------------|------|--------------|----------------|----------------|--------------|----------------|---------|---------|
|                  |      | DIAM MM/INCH | LENGTH CM/INCH | LENGTH CM/INCH | DIAM MM/INCH | LENGTH CM/INCH | TEST/LB | TEST/KG |
| 7.5 FT<br>235 CM | 0X   | 0.584/0.023  | 105/41.3       | 90/35.4        | 0.280/0.011  | 40/15.7        | 11.9    | 5.4     |
|                  | 1X   | 0.584/0.023  |                |                | 0.254/0.010  |                | 9.9     | 4.5     |
|                  | 2X   | 0.584/0.023  |                |                | 0.229/0.009  |                | 8.1     | 3.7     |
|                  | 3X   | 0.533/0.021  |                |                | 0.203/0.008  |                | 6.4     | 2.9     |
| 9 FT<br>275 CM   | 4X   | 0.533/0.021  | 130/51.2       | 90/35.4        | 0.178/0.007  | 55/21.6        | 5.1     | 2.3     |
|                  | 5X   | 0.533/0.021  |                |                | 0.152/0.006  |                | 4.0     | 1.8     |
|                  | 6X   | 0.483/0.019  |                |                | 0.127/0.005  |                | 2.9     | 1.3     |
|                  | 7X   | 0.483/0.019  |                |                | 0.110/0.004  |                | 2.2     | 1.0     |


## ASSO FC TAPERED LEADER

100% FLUOROCARBON


FFASDI599



Asso Fluorocarbon Tapered Leader is ideal for nymphing and when using large streamers, and sinks much quicker than nylon. Its high abrasion resistance makes it an ideal choice when fishing in rock, brush and other abrasive environments. Low vis transparent coloring, high knot strength and very durable. Especially suited for leaders.



| LENGTH | SIZE | TIPPET Ø | BUTT Ø | TIPPET TEST/LB |
|--------|------|----------|--------|----------------|
| 9 FT   | 0    | 0.290    | 0.570  | 10.3           |
|        | 1    | 0.265    | 0.570  | 8.2            |
|        | 2    | 0.240    | 0.570  | 7.3            |
|        | 3    | 0.205    | 0.530  | 5.6            |
|        | 4    | 0.180    | 0.530  | 4.7            |
|        | 5    | 0.155    | 0.530  | 3.7            |
|        | 6    | 0.135    | 0.470  | 2.8            |
|        | 7    | 0.110    | 0.470  | 1.8            |



9 FT

## ASSO BACKING LINE

BRAIDED LINE

FSASDI298



Asso Backing Line is a top quality polyester line. Thanks to its smooth surface it is very easy to bind to the reel and easy to knot. It features a very low stretch factor even in constant stress conditions and after several uses. Especially suitable for reel.



| DIAM MM | 0.40 | 0.43 | 0.52 |
|---------|------|------|------|
| TEST/LB | 15   | 20   | 30   |

100 M



**MATCH FISHING**



**ASSO FEEDER NEW!** NYLON LINE FNASDI147



Asso Feeder is a fluorocarbon coated line specifically designed for feeder fishing. Its special tripolymer structure and fluorocarbon coating make it a particularly strong, abrasion resistant and waterproof line. Low stretch line for ready strikes, even on long distances. Its smooth structure cuts the water surface increasing its sinkability.

FLUOROCARBON COATED



ABRASION RESISTANCE



HIGH TENACITY



SOFT



LOW STRETCH



SINKING



SMOOTH

|                |       |       |       |       |       |       |       |       |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| <b>DIAM mm</b> | 0.165 | 0.185 | 0.205 | 0.218 | 0.260 | 0.274 | 0.285 | 0.310 |
| <b>TEST/KG</b> | 1.8   | 2.3   | 2.7   | 3.6   | 4.5   | 5.4   | 6.4   | 7.3   |
| <b>TEST/LB</b> | 4.0   | 5.0   | 6.0   | 8.0   | 10.0  | 12.0  | 14.0  | 16.0  |



150 M

MATCH FISHING

# HERA

SELECTION





ASSO HERA ULTRA SOFT MICHIITO

NYLON LINE

FNASDI084



Next-gen fluorocarbon coated soft and tough monofilament. High breaking strength and low memory allow the line to not curl, making it the best choice for competition anglers. Transparent crystalline color in water. Calibrated measurements. Especially suitable for leaders.

PARALLEL SPOOLING

FLUOROCARBON COATED



50 M

|         |       |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| GO      | 0.4   | 0.6   | 0.8   | 1.0   | 1.2   | 1.5   | 2.0   | 2.5   | 3.0   |
| DIAM mm | 0.104 | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 |

ASSO HERA PERMANENT LENGTH MICHITO

NYLON LINE


FNASDI080



Hera Permanent Length Michiito is a next-gen extremely tough Fluorocarbon coated Monofilament. High breaking strength and low memory prevent this line from curling, making it particularly suitable for competition fishing. Its toughness allows to use it as shock absorber. It features a specific high visibility coloring and is especially suitable for leaders.

PARALLEL SPOOLING

FLUOROCARBON COATED



50 M

|         |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|
| GO      | 0.5   | 0.6   | 0.7   | 0.8   | 1.0   |
| DIAM mm | 0.117 | 0.128 | 0.138 | 0.148 | 0.165 |
| GO      | 1.2   | 1.5   | 2.0   | 2.5   | 3.0   |
| DIAM mm | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 |

ASSO HERA ULTRA SOFT HARISU

NYLON LINE

FNASDI082



Next-gen fluorocarbon coated soft and tough monofilament. High breaking strength and low memory allow the line to not curl, making it the best choice for competition anglers. It is very tough and can be used as a shock absorber. Transparent crystalline color in water. Calibrated measurements. Especially suitable for leaders.

PARALLEL SPOOLING

FLUOROCARBON COATED



50 M

|         |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| GO      | 0.25  | 0.4   | 0.6   | 0.8   | 1.0   | 1.2   | 1.5   | 2.0   |
| DIAM mm | 0.083 | 0.104 | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |



## ASSO NEW MICRON 3

NYLON LINE

FNASDI046



Asso New Micron 3 is produced in small amounts continuously monitored in each stage of production, to ensure maximum strength and no weak point. The diameters are 100% real and constant with a maximum tolerance of only 3 microns. It has great ability to convey even the slightest bite and to present the bait optimally. Clear coloring for maximum invisibility. Especially suitable for pole fishing leaders.

MICRO DIAMETERS

FLUOROCARBON COATED



FOR LEADERS



WHITE - 00

|         |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm | 0.053 | 0.059 | 0.065 | 0.070 | 0.074 | 0.079 | 0.087 | 0.096 |
| TEST/KG | 0.29  | 0.36  | 0.43  | 0.51  | 0.57  | 0.64  | 0.78  | 0.90  |
| DIAM mm | 0.100 | 0.107 | 0.122 | 0.133 | 0.153 | 0.173 | 0.185 | 0.204 |
| TEST/KG | 1.00  | 1.13  | 1.39  | 1.65  | 2.19  | 2.80  | 3.07  | 3.60  |

50 M  
100 M



**ASSO SINKING 3X** 100% FLUOROCARBON FFASDI135



Top quality nylon monofilament, 3 times more sinking than a traditional line without the use of degreasing substances. It has exceptional resistance to abrasion which allows it to be used even in areas cluttered with vegetation and obstacles. Its low stretch ensures great performances even at long distance. It has a particularly visible coloration out of the water that allows you to easily identify the bites. Parallel spooling for top quality maintenance over time and damage prevention. Especially suitable for leaders.

**PARALLEL SPOOLING**



BROWN - 86

|                |       |       |       |       |       |       |
|----------------|-------|-------|-------|-------|-------|-------|
| <b>DIAM mm</b> | 0.134 | 0.149 | 0.166 | 0.176 | 0.198 | 0.219 |
| <b>TEST/KG</b> | 1.50  | 1.90  | 2.10  | 2.40  | 2.60  | 3.20  |
| <b>TEST/LB</b> | 3.30  | 4.20  | 4.60  | 5.30  | 5.70  | 7.10  |

150 M



**100% FLUOROCARBON**

ASSO FLUOROCASTING

100% FLUOROCARBON

FFASDI106



Asso Fluorocarbon is a 100% fluorocarbon line. Thanks to the PvdF composition it has a higher specific weight and sinks faster. It features a very soft and waterproof surface which allows the product to be unalterable to temperatures, resist UV rays, resist abrasion and maintain constant knot strength even after prolonged use. Parallel spooling ensures better conservation and prevents damages to the line. It is multipurpose and suitable both for reel and leaders.

150 M FROM Ø 0.13 TO Ø 0.30  
 200 M FROM Ø 0.28 TO Ø 0.40  
 \* 200M DIAM. 0.45-0.50 ON DEMAND

|         |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|
| DIAM mm | 0.13 | 0.15 | 0.17 | 0.19 | 0.21 | 0.23 | 0.25 | 0.28 |
| TEST/KG | 1.30 | 1.70 | 2.30 | 2.80 | 3.40 | 3.80 | 4.60 | 5.40 |
| TEST/LB | 2.90 | 3.70 | 5.10 | 6.20 | 7.50 | 8.40 | 10.1 | 11.9 |

|         |      |      |      |       |       |
|---------|------|------|------|-------|-------|
| DIAM mm | 0.30 | 0.35 | 0.40 | 0.45* | 0.50* |
| TEST/KG | 6.00 | 7.80 | 10.8 | 12.2  | 14.2  |
| TEST/LB | 13.2 | 17.2 | 23.8 | 26.9  | 31.3  |

PARALLEL SPOOLING



WHITE - 00

ASSO INVISIBLE CLEAR

100% FLUOROCARBON

FFASDI120 - FFASDI121



Abrasion resistant fluorocarbon line which ensures a long product life. It has a refractive index tending to zero the first meters under water which guarantees almost total invisibility and which allows to increase the catches even for beginners. The high specific weight ensures to hold the fishing position. Extremely waterproof, it allows you to keep the strength unaltered in any situation. It has a low elongation and is totally insensitive to temperatures even in prohibitive climatic conditions. Especially suitable for leaders.

30 M/33 YDS FROM Ø 0.60 TO Ø 1.00  
 50 M/55 YDS FROM Ø 0.11 TO Ø 0.50

|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.11 | 0.13 | 0.15 | 0.17 | 0.19 | 0.21 |
| TEST/KG | 1.1  | 1.3  | 1.7  | 2.3  | 2.8  | 3.4  |
| TEST/LB | 2.4  | 2.9  | 3.7  | 5.1  | 6.2  | 7.5  |

|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.23 | 0.25 | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/KG | 3.8  | 4.6  | 5.4  | 6.0  | 7.8  | 10.8 |
| TEST/LB | 8.4  | 10.1 | 11.9 | 13.2 | 17.2 | 23.8 |

|         |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|
| DIAM mm | 0.45 | 0.50 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 |
| TEST/KG | 12.2 | 14.2 | 21   | 30   | 33   | 40   | 49   |
| TEST/LB | 26.9 | 31.3 | 46.3 | 66.1 | 72.7 | 88.2 | 108  |

PARALLEL SPOOLING



WHITE - 00

ASSO INVISIBLE PINK

100% FLUOROCARBON


FFASDI123



Fluorocarbon line especially designed for boat fishing. Its pink coloring enhances the typical invisibility of fluorocarbon, especially the first meters underwater. The high abrasion resistance allows boat fishing in any condition. It provides a controlled rigidity to resist changes in sea currents. It is available in a wide range of medium / large diameters and comes packaged on an extra large reel to avoid the mechanical memory in the pre-use phase. Especially suitable for leaders.

30 M

|         |      |      |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|------|------|
| DIAM mm | 0.30 | 0.35 | 0.40 | 0.45 | 0.50 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 |
| TEST/KG | 6.50 | 8.30 | 11.3 | 12.7 | 14.7 | 21.0 | 30.5 | 33.6 | 41.0 | 49.8 |
| TEST/LB | 14.3 | 18.3 | 24.9 | 28.0 | 32.4 | 46.3 | 67.2 | 74.0 | 90.3 | 107  |



PINK - 42



## ASSO CAMOUFLAGE MULTICOLOR

100% FLUOROCARBON

FFASDI102



Asso Camouflage Multicolor is a multicolor fluorocarbon line developed to guarantee perfect camouflage in all light refraction conditions. Even in dark areas it is perfectly camouflaged thanks to the "camouflage" color. It ensures low stretch and stress resistance. It's multi-purpose and suitable for both reel and leaders.

### PARALLEL SPOOLING



MULTICOLOR - AC

|         |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|
| DIAM mm | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 | 0.24 |
| TEST/KG | 1.20 | 1.40 | 1.80 | 2.50 | 3.10 | 3.70 | 4.20 |
| TEST/LB | 2.60 | 3.10 | 4.00 | 5.50 | 6.80 | 8.10 | 9.30 |

|         |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|
| DIAM mm | 0.26 | 0.28 | 0.30 | 0.35 | 0.40 | 0.45 | 0.50 |
| TEST/KG | 5.10 | 5.90 | 6.60 | 8.90 | 11.9 | 13.4 | 15.6 |
| TEST/LB | 11.2 | 13.0 | 14.5 | 18.9 | 26.2 | 29.5 | 34.4 |

50 M/55 YDS FROM Ø 0.12 TO Ø 0.50  
150 M/175 YDS FROM Ø 0.14 TO Ø 0.35


## ASSO SUPERFLUOROCARBON HIGH STRETCH

100% FLUOROCARBON

FFASDI105



Fluorocarbon monofilament with high stretch ranging from one and a half to double compared to traditional fluorocarbon monofilaments. Specific for combination with braids and low stretch monofilaments. It allows an optimal bait presentation and a better recovery of the prey. Particularly suitable for leaders.



HIGH STRETCH



WHITE - 00

|         |       |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm | 0.134 | 0.156 | 0.176 | 0.198 | 0.219 | 0.232 | 0.259 | 0.280 | 0.300 |
| TEST/KG | 1.49  | 2.00  | 2.51  | 3.13  | 3.84  | 4.13  | 5.18  | 5.89  | 6.64  |
| TEST/LB | 3.30  | 4.40  | 5.50  | 6.90  | 8.50  | 9.10  | 11.4  | 13.0  | 14.6  |

|         |       |       |       |       |       |       |       |       |       |        |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| DIAM mm | 0.343 | 0.409 | 0.445 | 0.495 | 0.595 | 0.675 | 0.777 | 0.818 | 0.956 | 1.080  |
| TEST/KG | 7.00  | 9.70  | 11.0  | 13.3  | 18.2  | 22.2  | 26.2  | 28.4  | 36.3  | 45.74  |
| TEST/LB | 15.4  | 21.4  | 24.2  | 29.3  | 40.1  | 49.0  | 57.7  | 62.6  | 80.0  | 100.75 |

50 M



**ASSO SUPERFLUOROCARBON**

100% FLUOROCARBON

FFASDI130



Very soft and extremely tough next-gen fluorocarbon line, featuring an innovative PVDF and a cutting-edge extrusion process. It has a smooth and pasty surface to ensure perfect knots and controlled stretch. Line specifically designed for professional anglers, but can also be used successfully by rookies thanks to the great softness that makes it easy to use. Especially suitable for leaders.



|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.10 | 0.13 | 0.15 | 0.17 | 0.19 | 0.21 |
| TEST/KG | 0.80 | 1.64 | 2.10 | 2.60 | 3.10 | 3.80 |
| TEST/LB | 1.80 | 3.60 | 4.60 | 5.70 | 6.80 | 8.30 |
| DIAM mm | 0.23 | 0.25 | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/KG | 4.30 | 5.30 | 6.00 | 6.90 | 8.70 | 12.0 |
| TEST/LB | 9.40 | 11.6 | 13.2 | 15.2 | 19.2 | 26.4 |

50 M

**ASSO CUORI**

100% FLUOROCARBON

FFASDI127



Asso di cuori is a historical line, the very first fluorocarbon line produced in Italy. Its very hard surface makes it very resistant to the teeth of the most stubborn fish and obstacles, while the total impermeability allows the line to maintain its resistance and durability even after several uses in stressful conditions. The smooth surface allows the line to cut the water in two and to remain in position even in conditions of very strong current. Asso di Cuori is perfect for all seasons and temperatures (from + 40 ° c to -20 ° c). The pure fluorocarbon structure makes it invisible in all refraction conditions. Available in a wide range of diameters to cover most fishing techniques. Especially suitable for leaders.



|         |      |      |      |      |      |      |      |      |      |      |       |
|---------|------|------|------|------|------|------|------|------|------|------|-------|
| DIAM mm | 0.08 | 0.10 | 0.13 | 0.15 | 0.17 | 0.20 | 0.22 | 0.24 | 0.26 | 0.28 | 0.30  |
| TEST/KG | 0.70 | 1.00 | 1.50 | 1.80 | 2.30 | 3.40 | 4.20 | 5.00 | 5.50 | 5.80 | 7.20  |
| TEST/LB | 1.50 | 2.20 | 3.30 | 3.90 | 5.00 | 7.40 | 9.20 | 11.0 | 12.1 | 12.7 | 15.8  |
| DIAM mm | 0.35 | 0.40 | 0.45 | 0.50 | 0.60 | 0.65 | 0.70 | 0.80 | 0.90 | 1.00 | 1.20  |
| TEST/KG | 9.50 | 11.8 | 14.0 | 17.6 | 18.8 | 23.5 | 28.2 | 33.0 | 40.0 | 49.0 | 77.0  |
| TEST/LB | 20.9 | 26.0 | 30.8 | 38.8 | 41.4 | 51.7 | 62.1 | 72.7 | 88.2 | 108  | 169.6 |

15 M Ø 1.20  
 30 M FROM Ø 0.80 TO Ø 1.00  
 50 M UP TO Ø 0.70  
 100 M FROM Ø 0.10 TO Ø 0.22



**ASSO PREMIUM**

100% FLUOROCARBON

FFASDI125



Next-gen extremely soft and tough Fluorocarbon line. The innovative PvdF definitely makes it the best abrasion resistant fluorocarbon line in the Asso range. Low-stretch and high knot strength complete the product and make it perfect for the most challenging fishing situations both at sea and in fresh water. Calibrated sizes. Particularly suitable for leaders.

PARALLEL SPOOLING



|                |      |      |      |      |      |
|----------------|------|------|------|------|------|
| <b>DIAM mm</b> | 0.11 | 0.13 | 0.16 | 0.18 | 0.20 |
| <b>TEST/KG</b> | 1.10 | 1.60 | 1.90 | 2.50 | 3.60 |
| <b>TEST/LB</b> | 2.40 | 3.50 | 4.20 | 5.50 | 7.90 |

|                |      |       |      |      |      |      |
|----------------|------|-------|------|------|------|------|
| <b>DIAM mm</b> | 0.22 | 0.24  | 0.26 | 0.28 | 0.30 | 0.33 |
| <b>TEST/KG</b> | 4.50 | 5.30  | 5.80 | 6.10 | 7.60 | 9.40 |
| <b>TEST/LB</b> | 9.90 | 11.70 | 12.8 | 13.4 | 16.7 | 20.7 |

50 M  
150 M FROM Ø 0.16 TO Ø 0.33

**ASSO INVISIBLE HARD**

100% FLUOROCARBON

FFASDI118



Low stretch Fluorocarbon with accentuated rigidity and superior abrasion resistance. Particularly suitable for sea fishing where it guarantees superior precision in fishing thanks to its insensitivity to currents. Particularly suitable for leaders.



|                |      |      |      |      |      |      |      |      |
|----------------|------|------|------|------|------|------|------|------|
| <b>DIAM mm</b> | 0.09 | 0.11 | 0.13 | 0.15 | 0.17 | 0.19 | 0.21 | 0.23 |
| <b>TEST/KG</b> | 0.80 | 0.90 | 1.40 | 1.80 | 2.30 | 2.90 | 3.40 | 4.20 |
| <b>TEST/LB</b> | 1.80 | 2.00 | 3.10 | 4.00 | 5.10 | 6.30 | 7.40 | 9.10 |

|                |      |      |      |      |      |      |      |
|----------------|------|------|------|------|------|------|------|
| <b>DIAM mm</b> | 0.25 | 0.28 | 0.30 | 0.34 | 0.40 | 0.43 | 0.47 |
| <b>TEST/KG</b> | 4.80 | 5.50 | 5.90 | 7.40 | 10.2 | 11.7 | 13.1 |
| <b>TEST/LB</b> | 10.6 | 12.0 | 13.0 | 16.2 | 22.4 | 25.7 | 28.9 |

50 M






ASSO ICE HEAVY

100% FLUOROCARBON

FFASDI112



Fluorocarbon line, almost unaffected by low temperatures. This line keeps its features almost unchanged even in the coldest weather conditions (down to -40°C), unlike conventional fishing lines that stiffen and lose strength. Moreover, Fluorocarbon is heavier than nylon, which also helps the lure to sink faster. Last but not least, the yellow and brown colors provide a high line visibility on ice.



| DIAM MM | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 |
|---------|------|------|------|------|------|
| TEST/KG | 1.50 | 1.90 | 2.10 | 2.50 | 3.20 |
| TEST/LB | 3.30 | 4.10 | 4.60 | 5.50 | 7.00 |

50 M



**FC COATED NYLON**

ASSO FLUOROLIGHT

NYLON LINE

FNASDI032



The fluo white color with reflections tending to blue allows an optimal control of the fishing action. Particularly soft line with a smooth surface, resistant to abrasion and with a high breaking strength. Completely waterproof, high visibility out of the water. Particularly suitable for reel.

PARALLEL SPOOLING

FLUOROCARBON COATED



WHITE - 00

|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 |
| TEST/KG | 1.4  | 1.9  | 2.3  | 2.9  | 3.6  | 4.3  |
| TEST/LB | 3.1  | 4.2  | 5.1  | 6.4  | 7.9  | 9.5  |
| DIAM mm | 0.24 | 0.26 | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/KG | 5.0  | 5.8  | 6.7  | 7.6  | 10   | 12.4 |
| TEST/LB | 11   | 12.8 | 14.8 | 16.8 | 22   | 27.3 |

150 M FROM Ø 0.12 TO Ø 0.35  
300 M FROM Ø 0.16 TO Ø 0.40

ASSO KNIGHT NEW!

NYLON LINE

FNASDI291



High tenacity Japanese line suitable for both day and night fishing thanks to its hi-vis color and fluorescence to UV light. The fluorocarbon coating ensures great abrasion resistance. The low memory makes it perfect for casting.

UV FLUO

FLUOROCARBON COATED



GREEN - 61 FLUO

|          |       |       |       |       |       |       |       |
|----------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm  | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.218 |       |
| GO       | 0.6   | 0.8   | 1.0   | 1.25  | 1.5   | 1.75  |       |
| TEST/KG  | 0.9   | 1.4   | 1.8   | 2.3   | 2.7   | 3.2   |       |
| LB CLASS | 2.0   | 3.0   | 4.0   | 5.0   | 6.0   | 7.0   |       |
| DIAM mm  | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |
| GO       | 2.0   | 2.5   | 3.0   | 3.5   | 4.0   | 5.0   | 6.0   |
| TEST/KG  | 3.6   | 4.5   | 5.4   | 6.4   | 6.8   | 8.2   | 9.1   |
| LB CLASS | 8.0   | 10.0  | 12.0  | 14.0  | 16.0  | 18.0  | 20.0  |

150 M FROM Ø 0.128 TO Ø 0.405  
1200 M FROM Ø 0.128 TO Ø 0.370  
1000 M Ø 0.405

ASSO PINK HUNTER NEW!

NYLON LINE

FNASDI142



Asso Pink Hunter is the visible/invisible fluorocarbon coated nylon line letting anglers easily play against suspicious fishes. You see it, they don't!

FLUOROCARBON COATED



PINK - 40

|          |       |       |       |       |       |       |
|----------|-------|-------|-------|-------|-------|-------|
| DIAM mm  | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.218 |
| GO       | 0.6   | 0.8   | 1.0   | 1.2   | 1.5   | 1.7   |
| LB CLASS | 3     | 4     | 5     | 6     | 7     | 8     |
| TEST/KG  | 1.4   | 1.8   | 2.3   | 2.7   | 3.2   | 3.6   |
| DIAM mm  | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |
| GO       | 2.0   | 2.5   | 3.0   | 3.5   | 5.0   | 6.0   |
| LB CLASS | 10    | 12    | 15    | 20    | 25    | 30    |
| TEST/KG  | 4.5   | 5.5   | 6.8   | 9.1   | 11.4  | 13.6  |

150 M FROM Ø 0.128 TO Ø 0.370  
300 M FROM Ø 0.165 TO Ø 0.405

FC COATED NYLON



**ASSO TRIGGER NEW!**

**NYLON LINE**

FNASDI290

Strong, abrasion resistant tripolymer Japanese line for top casting performances. UV-fluorescent to make night fishing easy.



- 150 M \*
- 300 M \*
- 1200 M
- 3000 M
- \* PARALLEL SPOOLING


|         |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm | 0.148 | 0.165 | 0.185 | 0.205 | 0.218 | 0.247 | 0.260 | 0.274 |
| GO      | 0.8   | 1.0   | 1.2   | 1.5   | 1.7   | 2.25  | 2.5   | 2.75  |
| TEST/LB | 3.0   | 4.0   | 5.0   | 6.0   | 8.0   | 9.0   | 10.0  | 12.0  |
| TEST/KG | 1.4   | 1.8   | 2.3   | 2.7   | 3.6   | 4.1   | 4.5   | 5.4   |

|         |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm | 0.285 | 0.310 | 0.330 | 0.405 | 0.435 | 0.470 | 0.520 |
| GO      | 3.0   | 3.5   | 4.0   | 6.0   | 7.0   | 8.0   | 10.0  |
| TEST/LB | 14.0  | 16.0  | 18.0  | 20.0  | 25.0  | 30.0  | 35.0  |
| TEST/KG | 6.4   | 7.3   | 8.2   | 9.1   | 11.4  | 13.6  | 15.9  |

**PARALLEL SPOOLING**

**UV FLUO**

**FLUOROCARBON COATED**



BLUE - 54

**ASSO SENTINEL NEW!**

**NYLON LINE**

FNASDI145


Thanks to Japanese advanced technologies Asso Sentinel gives anglers an extraordinary sensitivity and all the other benefits brought by its fluorocarbon coating. Feel it, catch it!



- 50 M
- 150 M FROM Ø 0.128 TO Ø 0.370
- 300 M FROM Ø 0.165 TO Ø 0.405
- 270 M Ø 0.470
- 220 M Ø 0.520

|          |       |       |       |       |       |       |       |       |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm  | 0.083 | 0.104 | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |
| GO       | 0.25  | 0.4   | 0.6   | 0.8   | 1.0   | 1.2   | 1.5   | 2.0   |
| TEST/KG  | 0.5   | 0.9   | 1.4   | 1.8   | 2.3   | 2.7   | 3.6   | 4.5   |
| TEST/LB  | 1     | 2     | 3     | 4     | 5     | 6     | 8     | 10    |
| DIAM mm  | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 |
| GO       | 2.5   | 3.0   | 3.5   | 4.0   | 5.0   | 6.0   | 8.0   | 10.0  |
| TEST/KG  | 5.4   | 6.4   | 7.3   | 9.1   | 11.4  | 13.6  | 18.2  | 22.7  |
| LB CLASS | 12    | 14    | 16    | 20    | 25    | 30    | 40    | 50    |

**FLUOROCARBON COATED**



WHITE - 00



**NYLON**

## ASSO CASTING


### NYLON LINE

FNASDI252



Line with controlled elongation for safe casts even over long distances. Its particular coloring allows exceptional camouflage in the water and excellent visibility outside. Total absence of mechanical memory. Particularly suitable for reel.

**AVAILABLE ONLY IN SOME COUNTRIES**



|         |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|
| DIAM mm | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 | 0.24 | 0.28 | 0.30 |
| TEST/KG | 2.20 | 2.60 | 3.20 | 3.80 | 4.50 | 5.50 | 6.20 | 7.50 |
| TEST/LB | 4.80 | 5.70 | 7.00 | 8.30 | 9.90 | 11.1 | 13.5 | 16.5 |
| DIAM mm | 0.40 | 0.45 | 0.50 |      |      |      |      |      |
| TEST/KG | 11.8 | 15.2 | 18.4 |      |      |      |      |      |
| TEST/LB | 25.9 | 33.4 | 40.5 |      |      |      |      |      |

1000 M

## ASSO UNIVERSAL

### NYLON LINE

FNASDI050



Line with great softness and toughness, with excellent transparency. Multi-purpose, suitable for both reel and leaders.



100 M •WHITE

100 M FROM Ø 0.18 TO Ø 0.50 •BLUE

1000 M FROM Ø 0.20 TO Ø 1.00 •WHITE

1000 M FROM Ø 0.20 TO Ø 0.60 •BLUE

|         |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|
| DIAM mm | 0.18 | 0.20 | 0.22 | 0.25 | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/KG | 2.10 | 2.80 | 3.20 | 3.80 | 4.70 | 5.30 | 7.30 | 9.80 |
| TEST/LB | 4.60 | 6.10 | 7.00 | 8.30 | 10.3 | 11.6 | 16.0 | 24.5 |
| DIAM mm | 0.45 | 0.50 | 0.55 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 |
| TEST/KG | 11.2 | 13.7 | 15.8 | 18.6 | 25.9 | 32.2 | 36.4 | 42.3 |
| TEST/LB | 24.6 | 30.1 | 34.8 | 40.9 | 57.0 | 70.9 | 80.1 | 93.1 |

## ASSO CLASSIC

### NYLON LINE

FNASDI200



Asso Classic is a top quality soft monofilament, suitable for both rookies and the most demanding experienced anglers. It ensures a good balance between softness, linear resistance, knot strength, stretch and durability. A wide format range is available in different colors, perfect for different applications. It's multipurpose and suitable for both reel and leaders.



|         |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM mm | 0.18  | 0.20  | 0.22  | 0.25  | 0.28  | 0.30  | 0.35  | 0.40  |
| TEST/KG | 2.10  | 2.50  | 3.00  | 4.00  | 4.50  | 5.00  | 7.00  | 9.00  |
| TEST/LB | 4.60  | 5.60  | 6.70  | 8.90  | 10.0  | 11.1  | 15.5  | 19.9  |
| DIAM mm | 0.45  | 0.50  | 0.60  | 0.70  | 0.80  | 0.90  | 1.00  | 1.10  |
| TEST/KG | 11.0  | 13.5  | 19.0  | 25.0  | 32.0  | 37.0  | 44.0  | 48.0  |
| TEST/LB | 24.3  | 29.8  | 41.9  | 55.2  | 70.6  | 81.6  | 96.9  | 106.0 |
| DIAM mm | 1.20  | 1.30  | 1.40  | 1.50  | 1.60  | 1.80  | 2.00  |       |
| TEST/KG | 55.0  | 60.0  | 65.0  | 80.0  | 90.0  | 115.0 | 130.0 |       |
| TEST/LB | 121.3 | 132.0 | 143.3 | 176.0 | 198.0 | 242.0 | 287.0 |       |

100 M

1000 M FROM Ø 0.20 TO Ø 1.00

1 KG FROM Ø 0.18 TO Ø 1.00

## ASSO DIAMOND

NYLON LINE

FNASDI063



Asso Diamond is a product that has made the history of the Asso brand since the 1980s. It is a specific line for surfcasting and lure fishing thanks to its exceptional smoothness, still unbeatable today. Extremely soft and pasty, it guarantees exceptional resistance to abrasion and traction. The top quality of the line allows a very long life overtime, even after several uses. It features a typical yellow color with high visibility out of the water which allows optimal control of the fishing area. It is multipurpose and suitable both for reel and leaders.

### PARALLEL SPOOLING



|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.16 | 0.18 | 0.20 | 0.22 | 0.24 | 0.26 |
| TEST/KG | 1.90 | 2.40 | 2.90 | 3.80 | 4.30 | 4.80 |
| TEST/LB | 4.10 | 5.20 | 6.30 | 8.30 | 9.40 | 10.5 |
| DIAM mm | 0.28 | 0.30 | 0.35 | 0.40 | 0.45 | 0.50 |
| TEST/KG | 5.50 | 7.20 | 9.00 | 10.8 | 14.1 | 16.8 |
| TEST/LB | 12.1 | 15.8 | 19.8 | 23.8 | 31.0 | 37.0 |

100 M  
150 M FROM Ø 0.16 TO Ø 0.40  
300 M FROM Ø 0.16 TO Ø 0.40

## ASSO BULLET PROOF

NYLON LINE

FNASDI078



Asso Bullet Proof is an ultra abrasion resistant monofilament which features a smooth and flexible surface to ensure the best smoothness level in its category. Its pasty composition guarantees extra abrasion resistance and quality maintenance over time, even after several uses and with low stretch. Perfect for carp fishing and especially suitable for reel.



|         |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|
| DIAM mm | 0.32 | 0.35 | 0.37 | 0.40 | 0.45 | 0.50 |
| TEST/LB | 12   | 15   | 18   | 20   | 25   | 30   |

1/4 LB


## ASSO WAGGLER

NYLON LINE

FNASDI270



Sinking line with special hydrophilic treatment that allows it to cut the surface and sink more quickly. Monofilament designed specifically for English Style and ledgering. The low elongation makes it more sensitive for quicker casts. Particularly suitable for reel.




|         |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|
| DIAM mm | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 | 0.24 | 0.26 |
| TEST/KG | 1.33 | 1.70 | 2.10 | 2.70 | 3.60 | 4.10 | 4.80 | 5.40 |
| TEST/LB | 2.90 | 3.70 | 4.60 | 5.90 | 7.90 | 9.0  | 10.6 | 11.9 |

150 M









ASSO ICE FISHING

NYLON LINE

FNASDI037



Asso Ice Fishing is ideal for fishing in cold weather conditions. Thanks to its special compound, it resists freezing, does not become brittle and maintains its softness and resistance even in extreme weather conditions. Its special bright blue color ensures high visibility on ice.

RESISTANCE TO LOW TEMPERATURES

SOFT

HIGH VIS

BLUE - 54

|                |      |      |      |      |      |      |      |      |
|----------------|------|------|------|------|------|------|------|------|
| <b>DIAM MM</b> | 0.10 | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.23 | 0.26 |
| <b>TEST/KG</b> | 0.70 | 1.10 | 1.50 | 2.40 | 3.00 | 3.30 | 4.50 | 5.70 |
| <b>TEST/LB</b> | 1.60 | 2.40 | 3.40 | 5.40 | 6.60 | 7.30 | 9.90 | 12.6 |

50 M



**BRAIDED PE**

**ASSO 4X PE POWER BRAID**

BRAIDED PE

FTASDI306-30A



Asso PE 4x Power Braid is a 4-ply braid produced with top quality raw material that guarantees its performance over time. The next-gen "multi-pitch" braiding system makes the fibers semi-rigid and avoids unpleasant tangles on the reel or on the tip of the rod during casting and recovery phases. The advanced coating technology allows longer casts, great durability even in stressful conditions and incredible knot strength. No memory and a minimum stretch percentage. Especially suitable for reel.

\* ON DEMAND

|              |       |       |       |       |       |        |               |        |
|--------------|-------|-------|-------|-------|-------|--------|---------------|--------|
| DIAM mm      | 0.06  | 0.08  | 0.10  | 0.12  | 0.14  | 0.16   | 0.18          | 0.20   |
| TEST/KG      | 2.4   | 3.6   | 4.8   | 5.6   | 8.4   | 11.2   | 12.6          | 14.0   |
| TEST/LB      | 5.3   | 7.9   | 10.6  | 12.3  | 18.5  | 24.7   | 27.8          | 30.8   |
| CONSTRUCTION | 4X20D | 4X30D | 4X40D | 4X50D | 4X75D | 4X100D | 2x100D+2x125D | 4X125D |

|              |               |               |        |        |        |        |        |
|--------------|---------------|---------------|--------|--------|--------|--------|--------|
| DIAM mm      | 0.24          | 0.28          | 0.30   | 0.32*  | 0.35   | 0.40   | 0.50   |
| TEST/KG      | 18.2          | 19.6          | 22.4   | 28.0   | 30.0   | 40.0   | 45.0   |
| TEST/LB      | 40.1          | 43.2          | 49.3   | 61.7   | 66.1   | 88.1   | 99.2   |
| CONSTRUCTION | 2X125D+2X150D | 2X150D+2X200D | 4X200D | 4X250D | 4X300D | 4X400D | 4X450D |

150 M  
1000 M

**4-PLY BRAID**



**ASSO 4X-8X PE CAMOUFLAGE**

BRAIDED PE

FTASDI307



Asso PE 8X-4X Camouflage is a 4 and 8-ply braid made from top quality raw material which ensures its performance over time. This next-gen braiding "multi-pitch" system makes the line smoother, durable and solid in any fishing condition. The innovative camouflage coloring alternates every 20 cm. It allows long and precise tangle-free castings. It features a great abrasion resistance and is perfect in presence of dense vegetation. Especially suitable for reel.

|              |             |       |              |        |               |
|--------------|-------------|-------|--------------|--------|---------------|
| DIAM mm      | 0.10        | 0.12  | 0.14         | 0.16   | 0.18          |
| TEST/KG      | 6.10        | 7.20  | 8.20         | 9.80   | 10.7          |
| TEST/LB      | 13.4        | 15.8  | 18.0         | 21.6   | 23.5          |
| CONSTRUCTION | 2X50D+2X75D | 4X75D | 2X75D+2X100D | 4X100D | 3X100D+1X150D |

|              |               |               |               |        |        |        |
|--------------|---------------|---------------|---------------|--------|--------|--------|
| DIAM mm      | 0.20          | 0.24          | 0.27          | 0.30   | 0.34   | 0.36   |
| TEST/KG      | 13.4          | 16.8          | 19.0          | 20.0   | 26.0   | 30.0   |
| TEST/LB      | 29.5          | 37.0          | 41.8          | 44.0   | 57.2   | 66.0   |
| CONSTRUCTION | 2X100D+2X150D | 3X150D+1X200D | 2X150D+2X200D | 4X200D | 4X250D | 8X150D |

130 M  
300 M

**4-PLY BRAID**

**8-PLY BRAID**



**ASSO 8X PE PERFECT STORM**

BRAIDED PE

FTASDI327



Asso Pe 8x Perfect Storm is a 8-ply braid made of very strong next-gen fibers which ensure quality and performance over time. The next-gen braiding system makes this product extremely abrasion resistant and round for extra smoothness. The excellent color durability even after several uses and the wide range of sizes make this line a crucial product for every angler's equipment. Low stretch and quick sinking thanks to the specific weight of the PE fibers. Especially suitable for reel.


|              |       |             |       |       |       |             |       |             |
|--------------|-------|-------------|-------|-------|-------|-------------|-------|-------------|
| DIAM mm      | 0.04  | 0.06        | 0.08  | 0.10  | 0.12  | 0.15        | 0.18  | 0.20        |
| TEST/KG      | 75    | 81          | 8.6   | 9.5   | 10.7  | 12.4        | 15.9  | 17.4        |
| TEST/LB      | 16.5  | 17.8        | 18.9  | 20.9  | 23.5  | 27.3        | 35.0  | 38.28       |
| CONSTRUCTION | 8X20D | 4X20D+4x30D | 8X30D | 8X40D | 8X50D | 4X50D+4x75D | 8X75D | 4X75+4x100D |

|              |        |               |        |               |        |        |        |
|--------------|--------|---------------|--------|---------------|--------|--------|--------|
| DIAM mm      | 0.24   | 0.28          | 0.32   | 0.37          | 0.41   | 0.43   | 0.50   |
| TEST/KG      | 18.5   | 20            | 21.7   | 25.3          | 31.1   | 31.4   | 32.5   |
| TEST/LB      | 40.7   | 44            | 47.7   | 55.7          | 68.4   | 69.1   | 71.5   |
| CONSTRUCTION | 8X100D | 4X100D+4x125D | 8X125D | 4X125D+4x150D | 8X150D | 8X175D | 8X200D |

150 M FROM Ø 0.04 TO Ø 0.28  
300 M FROM Ø 0.15 TO Ø 0.50  
1000 M

**8-PLY BRAID**

**MICRO DIAMETERS**





**ASSO 8X PE POWER BRAID**

BRAIDED PE

FTASDI304-30B



Asso Pe 8x Power Braid is a braid made from 8 extremely round polyethylene fibers and braided through the innovative "round construction" system which provides roundness and high smoothness for the best casts. This special technology keeps the braid very solid, even after several uses and in presence of rocks and dense vegetation. Asso Pe 8x Power Braid is available in a wide range of diameters. Especially suitable for reel.

**8-PLY BRAID**



FOR REEL    LOW STRETCH    SMOOTH



ABRASION RESISTANCE    NO MEMORY




BLACK - 90

|              |       |                 |       |       |       |                 |       |                  |
|--------------|-------|-----------------|-------|-------|-------|-----------------|-------|------------------|
| DIAM mm      | 0.06  | 0.08            | 0.10  | 0.12  | 0.14  | 0.16            | 0.18  | 0.20             |
| TEST/KG      | 4.50  | 5.60            | 6.20  | 8.30  | 10.4  | 13.0            | 15.6  | 18.2             |
| TEST/LB      | 9.9   | 12.3            | 13.6  | 18.2  | 22.9  | 28.6            | 34.3  | 40.0             |
| CONSTRUCTION | 8X20D | 4X20D+<br>4X30D | 8X30D | 8X40D | 8X50D | 4X50D+<br>4X75D | 8X75D | 4X75D+<br>4X100D |

|              |        |                   |        |                   |        |        |        |
|--------------|--------|-------------------|--------|-------------------|--------|--------|--------|
| DIAM mm      | 0.23   | 0.28              | 0.33   | 0.37              | 0.40   | 0.47   | 0.52   |
| TEST/KG      | 20.8   | 23.4              | 26.0   | 28.6              | 31.2   | 41.6   | 62.4   |
| TEST/LB      | 45.8   | 51.5              | 57.2   | 62.9              | 68.6   | 91.5   | 137.3  |
| CONSTRUCTION | 8X100D | 4X100D+<br>4X125D | 8X125D | 4X125D+<br>4X150D | 8X150D | 8X200D | 8X300D |

150 M FROM Ø 0.06 TO Ø 0.28  
300 M FROM Ø 0.16 TO Ø 0.52  
1800 M



# EXTREME COLOR DURABILITY







**ASSO 8X PE EVERGREEN** BRAIDED PE FTASDI300



Asso PE 8X Evergreen is a 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. Especially suitable for reel.

**8-PLY BRAID**

**MICRO DIAMETERS**

-  FOR REEL
-  SOFT
-  LOW STRETCH
-  SMOOTH
-  GREEN - 6A
- 

130 M FROM Ø 0.04 TO Ø 0.58  
 300 M FROM Ø 0.15 TO Ø 0.50  
 1000 M FROM Ø 0.18 TO Ø 0.58  
 1800 M FROM Ø 0.04 TO Ø 0.58

|              |        |                   |                   |                   |        |                 |        |                  |
|--------------|--------|-------------------|-------------------|-------------------|--------|-----------------|--------|------------------|
| DIAM mm      | 0.04   | 0.06              | 0.08              | 0.10              | 0.12   | 0.15            | 0.18   | 0.20             |
| TEST/KG      | 4.50   | 5.60              | 6.20              | 8.30              | 9.60   | 11.8            | 13.8   | 16.0             |
| TEST/LB      | 9.9    | 12.3              | 13.6              | 18.3              | 21.1   | 26.0            | 30.4   | 35.2             |
| CONSTRUCTION | 8X20D  | 4X20D+<br>4X30D   | 8X30D             | 8X40D             | 8X50D  | 4X50D+<br>4X75D | 8X75D  | 4X75D+<br>4X100D |
| DIAM mm      | 0.24   | 0.27              | 0.32              | 0.36              | 0.41   | 0.43            | 0.50   | 0.58             |
| TEST/KG      | 23.9   | 25.0              | 27.2              | 30.7              | 34.8   | 42.1            | 62.3   | 93.5             |
| TEST/LB      | 52.6   | 55.1              | 59.9              | 67.6              | 76.6   | 92.7            | 137.2  | 205.9            |
| CONSTRUCTION | 8X100D | 6X100D+<br>2X150D | 4X100D+<br>4X150D | 2X100D+<br>6X150D | 8X150D | 8X200D          | 8X300D | 8X400D           |

# BRAIDED PE

## ASSO 8X PE LURE BRAID

BRAIDED PE

FTASDI301



Asso Lure Braid is a perfectly refined 8-ply braid produced with top quality raw material which ensures quality and performance over time. The "duracolor" technology ensures maximum color durability, especially in medium / large sizes: fibers are dyed before being braided, thus guaranteeing greater color absorption. 8-ply construction for better roundness. Zero stretch even in the micro-sizes. High abrasion resistance even in presence of dense vegetation. Suitable for lure fishing. Especially indicated for reel.

|              |       |             |       |       |       |
|--------------|-------|-------------|-------|-------|-------|
| DIAM mm      | 0.06  | 0.08        | 0.10  | 0.12  | 0.14  |
| TEST/KG      | 4.5   | 5.6         | 6.2   | 8.3   | 10.4  |
| TEST/LB      | 9.9   | 12.3        | 13.6  | 18.2  | 22.9  |
| CONSTRUCTION | 8X20D | 4X20D+4X30D | 8X30D | 8X40D | 8X50D |

|              |            |       |              |        |               |               |
|--------------|------------|-------|--------------|--------|---------------|---------------|
| DIAM mm      | 0.16       | 0.18  | 0.20         | 0.23   | 0.28          | 0.32          |
| TEST/KG      | 13.0       | 13.8  | 16.0         | 23.9   | 25.0          | 27.2          |
| TEST/LB      | 28.6       | 30.4  | 35.2         | 52.6   | 55.1          | 59.9          |
| CONSTRUCTION | 4X50D+4X75 | 8X75D | 4X75D+4X100D | 8X100D | 6X100D+2X150D | 100X4D+150X4D |

150 M FROM Ø 0.06 TO Ø 0.32  
300 M FROM Ø 0.06 TO Ø 0.32  
1800 M | DIN | PAPER/12

UV FLUO

8-PLY BRAID

MICRO DIAMETERS



ABRASION RESISTANCE




YELLOW - 10



## ASSO 8X PE LIGHT GAMES

BRAIDED PE

FTASDI326



150 M MLC AK ONLY UP TO 4.0 GO  
300 M  
600 M ONLY MLC AK FROM 0.8 GO

Asso 8X Light Games is a perfectly refined 8-ply braid made from high density, ultra-thin and resistant PE fibers. This type of fiber provides the braid with a linear and knot strength that is definitely higher-than-average. The new braiding system guarantees extreme solidity even after the most hard frictions. Its high abrasion-resistance is combined with a smooth and silky surface. The round surface guarantees great smoothness with no sound while passing through the rod rings. It is very strong and suitable for all types of fishing conditions. It is multipurpose and available in two colors, suitable for both reel and leaders.

|              |               |       |               |       |       |       |
|--------------|---------------|-------|---------------|-------|-------|-------|
| DIAM mm      | 0.128         | 0.148 | 0.165         | 0.185 | 0.205 | 0.235 |
| TEST/KG      | 6.35          | 7.26  | 9.07          | 11.34 | 13.61 | 18.14 |
| TEST/LB      | 14            | 16    | 20            | 25    | 30    | 35    |
| CONSTRUCTION | 4X10D + 4X20D | 8X20D | 4X20D + 4X30D | 8X30D | 8X40D | 8X50D |
| PE SIZE      | 0.6           | 0.8   | 1.0           | 1.2   | 1.5   | 2.0   |

|              |               |       |        |        |        |        |
|--------------|---------------|-------|--------|--------|--------|--------|
| DIAM mm      | 0.260         | 0.285 | 0.330  | 0.370  | 0.405  | 0.470  |
| TEST/KG      | 20.40         | 22.70 | 27.24  | 31.75  | 36.29  | 45.36  |
| TEST/LB      | 40            | 50    | 60     | 70     | 80     | 100    |
| CONSTRUCTION | 4X50D + 4X75D | 8X75D | 8X100D | 8X125D | 8X150D | 8X200D |
| PE SIZE      | 2.5           | 3.0   | 4.0    | 5.0    | 6.0    | 8.0    |

8-PLY BRAID



FOR REEL



SMOOTH



GREEN - 62



GREEN - 6A



MULTICOLOR - AK  
10M WHITE/GREEN TAG  
10M GREEN/PINK TAG  
10M RED/GREEN TAG  
10M PINK/GREEN TAG  
10M BLUE/GREEN TAG

## ASSO 8X PE 8

BRAIDED PE

FTASDI314



Asso 8xPE8 is a perfectly finished 8-ply braid made from ultra-thin and resistant PE nanofibers. The innovative braiding line system ensures extreme solidity. The braid is extremely soft and silky. The perfectly round and smooth surface guarantees incredible smoothness and no sound while passing through the rod rings. Available in a special brown color perfect for black bass fishing. Especially suitable for reel.

|              |             |       |             |       |       |
|--------------|-------------|-------|-------------|-------|-------|
| DIAM mm      | 0.128       | 0.148 | 0.165       | 0.185 | 0.210 |
| TEST/KG      | 5.0         | 6.3   | 8.8         | 10.0  | 11.3  |
| TEST/LB      | 11.0        | 13.9  | 19.4        | 22.0  | 24.9  |
| CONSTRUCTION | 4X10D+4X20D | 8X20D | 4X20D+4X30D | 8X30D | 8X40D |

150 M

8-PLY BRAID



SOFT



BROWN - 84



BRAIDED PE





**ESTER**

## ASSO SUPER HARD

ESTER

FPASDI259



Specifically designed for use as a stiff rig as a pike terminal (as an alternative to the steel cable) and as branchline for sabiki.  
Rigid monofilament characterized by great toughness and excellent knot strength that varies from 70% to 80% depending on the diameters.  
Incredibly stiff, it offers excellent results in deep fishing.  
Exceptional abrasion resistance. Multi-purpose, suitable for both reel and leaders.



|         |       |       |       |       |       |      |       |       |      |
|---------|-------|-------|-------|-------|-------|------|-------|-------|------|
| DIAM mm | 0.165 | 0.185 | 0.204 | 0.225 | 0.245 | 0.26 | 0.28  | 0.30  | 0.35 |
| TEST/KG | 2.20  | 2.70  | 3.30  | 3.90  | 4.40  | 5.20 | 6.20  | 6.90  | 9.10 |
| TEST/LB | 4.85  | 5.95  | 7.28  | 8.60  | 9.70  | 11.5 | 13.7  | 15.2  | 20.0 |
| DIAM mm | 0.40  | 0.45  | 0.50  | 0.60  | 0.70  | 0.80 | 0.90  | 1.00  |      |
| TEST/KG | 10.8  | 14.8  | 17.8  | 23.8  | 31.7  | 40.3 | 52.9  | 63.8  |      |
| TEST/LB | 23.8  | 32.6  | 39.2  | 52.5  | 69.9  | 88.8 | 116.6 | 140.6 |      |

50 M - 100 M

## ASSO SUPER HARD FOR FLIPPING & JIGGING


ESTER

FPASDI282



Nylon monofilament with very low stretch for a constant bait control.  
Recommended, for its exceptional abrasion resistance, if you are fishing in areas with a lot of vegetation, rocks and various obstacles. The absence of memory allows the monofilament to restore its original shape, even after high stress conditions. Thanks to its particular construction, unlike many other stiff lines, a very high knot strength is guaranteed. Particularly suitable for leaders.

### PARALLEL SPOOLING



|         |      |      |      |      |
|---------|------|------|------|------|
| DIAM mm | 0.28 | 0.30 | 0.35 | 0.40 |
| TEST/LB | 12   | 14   | 16   | 20   |

150 M



# COMMERCIAL FISHING

ASSO COOFIL


COMMERCIAL FISHING

FNASPR206



Asso Coofil is a standard nylon monofilament suitable for professional fishing. It was developed for all applications, both for small and big boats. It presents a perfect balance between softness, stretch, transparency, abrasion resistance and knot strength. Available in two colors and in a wide range of diameters.

|         |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 0.30  | 0.35  | 0.40  | 0.45  | 0.50  | 0.55  | 0.60  |
| TEST/KG | 51    | 6.6   | 72    | 9.2   | 11.3  | 13.4  | 16.3  |
| TEST/LB | 11.2  | 14.5  | 15.8  | 20.2  | 24.9  | 29.5  | 35.9  |
| DIAM MM | 0.65  | 0.70  | 0.80  | 0.90  | 1.00  | 1.10  | 1.20  |
| TEST/KG | 20.4  | 22.7  | 28.5  | 36.4  | 42.8  | 48.9  | 56.1  |
| TEST/LB | 45.0  | 50.0  | 62.7  | 80.1  | 94.2  | 107.0 | 123.0 |
| DIAM MM | 1.30  | 1.40  | 1.50  | 1.60  | 1.80  | 2.00  |       |
| TEST/KG | 63.2  | 68.1  | 76.5  | 81.8  | 96.9  | 112.2 |       |
| TEST/LB | 140.0 | 150.0 | 170.0 | 180.0 | 210.0 | 250.0 |       |




**HANKS**  
500M - 1000M - 2000M  
500GR - 1 KG - 2 KG  
**SPOOLS**  
250 GR - 500 GR - 1 KG - 2 KG

ASSO PELOVERME

COMMERCIAL FISHING

FNASPR210



Asso Peloverme is a standard nylon monofilament perfect for commercial fishing. Designed for the mainline, it can also be used for branch lines and features a great balance between softness and elasticity. The surface is developed to facilitate recovery with winches. Suitable in a wide range of diameters.

|         |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 0.60  | 0.70  | 0.80  | 0.90  | 1.00  | 1.10  | 1.20  |
| TEST/KG | 16.3  | 22.7  | 28.5  | 36.4  | 42.8  | 48.9  | 56.1  |
| TEST/LB | 36.0  | 50.0  | 63.0  | 80.0  | 94.0  | 108.0 | 124.0 |
| DIAM MM | 1.30  | 1.40  | 1.50  | 1.60  | 1.80  | 2.00  |       |
| TEST/KG | 63.2  | 68.1  | 76.5  | 81.8  | 96.6  | 113   |       |
| TEST/LB | 139.0 | 150.0 | 168.0 | 180.0 | 213.0 | 249.0 |       |



**HANKS**  
500M - 1000M - 2000M  
500GR - 1 KG - 2 KG  
**SPOOLS**  
250 GR - 500 GR - 1 KG - 2 KG

ASSO TRAVE

COMMERCIAL FISHING

FNASPR211



Mainline monofilament with an excellent quality/price ratio.

|         |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 0.60  | 0.70  | 0.80  | 0.90  | 1.00  | 1.10  | 1.20  |
| TEST/KG | 16.3  | 22.7  | 28.5  | 36.4  | 42.8  | 48.9  | 56.1  |
| TEST/LB | 36.0  | 50.0  | 63.0  | 80.0  | 94.0  | 108.0 | 124.0 |
| DIAM MM | 1.30  | 1.40  | 1.50  | 1.60  | 1.80  | 2.00  |       |
| TEST/KG | 63.2  | 68.1  | 76.5  | 81.8  | 96.6  | 113   |       |
| TEST/LB | 139.0 | 150.0 | 168.0 | 180.0 | 213.0 | 249.0 |       |



**HANKS**  
500M - 1000M - 2000M  
500GR - 1 KG - 2 KG  
**SPOOLS**  
250 GR - 500 GR - 1 KG - 2 KG



ASSO POLYASTEEL

COMMERCIAL FISHING

FNASPR204



It has been engineered specifically for mainlines stored in baskets and bins. Thanks to its peculiar extrusion technology, it lies perfectly flat.

- high abrasion resistance
- controlled stretching
- high transparency
- long duration
- lies perfectly flat in the basket
- ideal for fishing at great depths

**NYLON LINE**

**MAINLINE**

ABRASION RESISTANCE    LOW STRETCH    LOW VIS



|         |      |      |      |      |       |       |       |       |
|---------|------|------|------|------|-------|-------|-------|-------|
| DIAM MM | 0.70 | 0.80 | 0.90 | 1.00 | 1.10  | 1.20  | 1.30  | 1.40  |
| TEST/KG | 25.0 | 32.0 | 38.0 | 45.0 | 50.0  | 60.0  | 65.0  | 70.0  |
| TEST/LB | 55.0 | 71.0 | 84.0 | 99.0 | 110.0 | 132.0 | 143.0 | 154.0 |

|         |       |       |       |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 1.50  | 1.60  | 1.70  | 1.80  | 1.90  | 2.00  | 2.20  | 2.25  | 2.50  | 3.00  | 3.50  |
| TEST/KG | 80.0  | 90.0  | 100.0 | 110.0 | 130.0 | 150.0 | 180.0 | 185.0 | 200.0 | 260.0 | 350.0 |
| TEST/LB | 176.0 | 198.0 | 220.0 | 242.0 | 287.0 | 331.0 | 397.0 | 408.0 | 441.0 | 573.0 | 771.0 |

HANKS  
500M - 1000M - 1500M

ASSO SUPERSOFT

COMMERCIAL FISHING

FNASPR214



Asso Supersoft is a top quality standard nylon monofilament ideal for commercial fishing. It was developed primarily for the mainline, but can also be used for branch lines. It is particularly suitable for handlines and manual longlines. Incredibly soft monofilament, It lays flat in the baskets and bins. It is specially indicated for the amateur fisherman. Proposed in 3 colors for each marine environment in a high range of sizes.

**NYLON LINE**

**MAINLINE**

SOFT



|         |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|
| DIAM MM | 0.40 | 0.45 | 0.50 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 |
| TEST/KG | 9.10 | 11.0 | 13.7 | 17.0 | 23.3 | 30.0 | 36.8 | 43.0 |
| TEST/LB | 20.0 | 24.0 | 30.0 | 37.0 | 51.0 | 66.0 | 81.0 | 95.0 |

|         |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|
| DIAM MM | 1.10 | 1.20 | 1.30 | 1.40 | 1.50 | 1.60 | 1.80 | 2.00 |
| TEST/KG | 49.5 | 56.3 | 63.5 | 69.0 | 78.0 | 83.0 | 104  | 120  |
| TEST/LB | 109  | 124  | 140  | 152  | 172  | 183  | 229  | 264  |

HANKS  
500M - 1000M - 2000M - 500GR - 1 KG - 2 KG  
DIN  
250 GR - 500 GR - 1 KG - 2 KG

ASSO SPADES

COMMERCIAL FISHING

FNASPR208



Asso spades "cristalli d'acciaio" (steel crystals) is a top quality nylon monofilament perfect for professional fishing. Its extra-softness makes it suitable both for the mainline and the branch lines. It can also be used by beginners thanks to its extreme softness which makes it perfectly fit the fishing basket. It doesn't tangle and perfectly straightens. The high knot strength makes it suitable for the most challenging fishing techniques.

**NYLON LINE**

**MAINLINE**

**BRANCH LINES**



|         |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 0.35  | 0.40  | 0.45  | 0.50  | 0.60  | 0.70  | 0.80  | 0.90  |
| TEST/KG | 7.10  | 9.40  | 12.00 | 14.30 | 20.00 | 25.00 | 32.00 | 35.00 |
| TEST/LB | 15.60 | 20.70 | 26.50 | 31.50 | 44.00 | 55.10 | 70.50 | 77.10 |

|         |       |        |        |        |        |        |        |        |        |
|---------|-------|--------|--------|--------|--------|--------|--------|--------|--------|
| DIAM MM | 1.00  | 1.10   | 1.20   | 1.30   | 1.40   | 1.50   | 1.60   | 1.80   | 2.00   |
| TEST/KG | 45.00 | 54.00  | 59.00  | 65.00  | 68.00  | 77.00  | 86.00  | 112.00 | 124.00 |
| TEST/LB | 99.20 | 119.00 | 130.00 | 143.30 | 149.90 | 169.70 | 189.50 | 246.80 | 273.30 |

HANKS  
500M - 1000M - 2000M - 500GR - 1 KG - 2 KG  
DIN  
250 GR - 500 GR - 1 KG - 2 KG





ASSO MAINLINE

COMMERCIAL FISHING

FNASPR199



The revolutionary feature of Asso Mainline is the controlled stretch factor which prevents the flattening of the line and gives better performance and superior durability. It has been specifically designed for mainlines stored on reel. High abrasion resistance and excellent strength/flexibility ratio.

|         |      |      |      |      |      |
|---------|------|------|------|------|------|
| DIAM MM | 2.30 | 2.50 | 2.80 | 3.00 | 3.20 |
| TEST/KG | 227  | 250  | 315  | 362  | 387  |
| TEST/LB | 500  | 550  | 690  | 795  | 850  |

|         |      |      |      |      |      |
|---------|------|------|------|------|------|
| DIAM MM | 3.40 | 3.50 | 3.60 | 3.80 | 4.00 |
| TEST/KG | 430  | 445  | 470  | 523  | 540  |
| TEST/LB | 945  | 980  | 1035 | 1150 | 1190 |



5-10-15-30 NAUTICAL MILES (NM)

ASSO HARD LINE


COMMERCIAL FISHING

FNASPR217



Specially created for branch lines and for those situations where it is necessary to have an extremely abrasion resistant monofilament, particularly rigid and very tenacious.

|         |      |      |      |      |      |      |      |      |
|---------|------|------|------|------|------|------|------|------|
| DIAM MM | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 | 1.10 | 1.20 | 1.30 |
| TEST/KG | 23.0 | 28.0 | 35.0 | 39.0 | 50.0 | 58.0 | 65.0 | 78.0 |
| TEST/LB | 51.0 | 62.0 | 77.0 | 86.0 | 110  | 128  | 143  | 172  |




1 KG - 2 KG

ASSO LEADER

COMMERCIAL FISHING

FNASPR213



Asso Leader is a top quality nylon monofilament perfect for commercial fishing. It's one of the strongest branch lines available on the market characterized not only by its high resistance but also by its excellent softness. Asso Leader encloses in a single product all the most important features that a branch line must have: very high breaking strength, excellent transparency, extra softness and high stretch which facilitates the capture of large prey.

|         |      |      |      |      |       |       |       |       |
|---------|------|------|------|------|-------|-------|-------|-------|
| DIAM MM | 0.60 | 0.65 | 0.70 | 0.80 | 0.90  | 1.00  | 1.10  | 1.20  |
| TEST/KG | 25.0 | 30.0 | 35.0 | 44.0 | 50.0  | 59.0  | 69.0  | 82.0  |
| TEST/LB | 55.0 | 66.0 | 77.0 | 97.0 | 110.0 | 130.0 | 152.0 | 180.0 |

|         |       |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 1.30  | 1.40  | 1.50  | 1.60  | 1.70  | 1.80  | 1.90  | 2.00  |
| TEST/KG | 91.0  | 104.0 | 113.0 | 127.0 | 159.0 | 181.0 | 204.0 | 227.0 |
| TEST/LB | 200.0 | 230.0 | 250.0 | 280.0 | 350.0 | 400.0 | 450.0 | 500.0 |

|         |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 2.10  | 2.20  | 2.35  | 2.50  | 2.60  | 2.70  | 3.00  |
| TEST/KG | 236.0 | 250.0 | 272.0 | 295.0 | 309.0 | 332.0 | 378   |
| TEST/LB | 520.0 | 550.0 | 600.0 | 650.0 | 680.0 | 730.0 | 833.0 |



HANKS  
500M - 1000M - 2000M - 500GR - 1 KG - 2 KG  
DIN  
1 KG - 2 KG



ASSO SUPER BRACCIOLO

COMMERCIAL FISHING

FNASPR241



Asso Super Bracciolo is a real novelty in the world of professional fishing. It is a latest generation monofilament created specifically for branch lines. Ideal for the most extreme situations.


- Very high toughness and strength
- Hard
- Low visibility colors. Particularly effective in pink coloring.
- Very high breaking strength and abrasion resistance
- Low elongation
- Long duration

| DIAM MM | 0.70 | 0.80 | 0.90 | 1.00 | 1.10 | 1.20 | 1.30 |
|---------|------|------|------|------|------|------|------|
|---------|------|------|------|------|------|------|------|

1 KG - 2 KG

NYLON LINE

BRANCH LINES



ASSO TRIPLE FORCE

COMMERCIAL FISHING

FNASPR229



Asso Triple force is a top quality nylon monofilament suitable for commercial fishing and especially for branch lines. Its outstanding strength and excellent transparency and rigidity make it the best choice for the lower part of the branch line for tuna fishing. It ensures greater abundance of fish thanks to the better presentation of the bait. Asso Triple Force is one of the monofilaments with the highest breaking strength for tuna fishing.

|         |       |       |       |       |       |       |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| DIAM MM | 0.43  | 0.54  | 0.57  | 0.62  | 0.702 | 0.74  | 0.81  |
| TEST/KG | 13.6  | 22.7  | 25.6  | 29.9  | 36.4  | 41.9  | 49.7  |
| TEST/LB | 30.0  | 50.0  | 56.5  | 66.0  | 80.0  | 92.3  | 109.5 |
| DIAM MM | 0.90  | 1.04  | 1.17  | 1.25  | 1.33  | 1.47  | 1.56  |
| TEST/KG | 60.4  | 80.5  | 99.5  | 109.0 | 124.0 | 151.0 | 167.0 |
| TEST/LB | 133.1 | 177.5 | 219.4 | 240.3 | 293.8 | 332.8 | 368.0 |
| DIAM MM | 1.61  | 1.76  | 1.83  | 1.97  | 2.04  | 2.10  | 2.39  |
| TEST/KG | 181.0 | 214.0 | 234.0 | 252.0 | 265.0 | 291.0 | 373.0 |
| TEST/LB | 398.0 | 471.8 | 516.0 | 555.6 | 583.0 | 641.0 | 822.0 |

1000 M FROM Ø 1.17 TO Ø 2.39  
 2000 M FROM Ø 0.74 TO Ø 1.04  
 2000 M Ø 0.702  
 3000 M FROM Ø 0.43 TO 0.62

NYLON LINE

BRANCH LINES





**NYLON**

51 — BASS TAPERED LEADER  
 72 — BULLET PROOF  
 71 — CASTING  
 71 — CLASSIC  
 28 — CLASSIC SHOCK LEADER  
 85 — COOFIL  
 72 — DIAMOND  
 12 — DOUBLE STRENGTH ULTRASOFT  
 40 — DOUBLE TAPERED MAINLINE  
 38 — FLOATER LINE  
 89 — HARD LINE  
 75 — ICE FISHING  
 50 — KNOTLESS TAPERED LEADER  
 89 — LEADER  
 37 — MAINLINE (CARP)  
 89 — MAINLINE (COMMERCIAL FISHING)  
 38 — MAINLINE ABRASION  
 37 — MAINLINE PRO  
 28 — OBLIVION  
 85 — PELOVERME  
 87 — POLYASTEEL  
 51 — SALMON & STEELHEAD TAPERED LEADER  
 50 — SALTWATER TAPERED LEADER  
 38 — SINKING MAINLINE  
 47 — STRIKE INDICATOR  
 87 — SPADES  
 87 — SUPERSOFT  
 91 — SUPER BRACCIOLIO  
 22 — SURF  
 24 — TAPERED LINE 220M  
 24 — TAPERED SHOCK LEADERS  
 42 — TAPERED SHOCK LEADERS 5X15M  
 24 — TAPERED SHOCK LEADERS 5X15-10X15M  
 21 — TORNEO  
 11 — TOURNAMENT  
 85 — TRAVE  
 12 — TRIPLE FORCE (SPORT FISHING)  
 91 — TRIPLE FORCE (COMMERCIAL FISHING)  
 31 — TROUT AREA NYLON HARD  
 31 — TROUT AREA NYLON SOFT  
 52 — TROUT TAPERED LEADER  
 11 — TUNA BIG GAME  
 28 — ULTRAFLEX  
 71 — UNIVERSAL  
 72 — WAGGLER  
 42 — ZIG FLOATING LINE

**FLUOROCARBON COATED NYLON**

47 — COPOLYMER SOFT  
 55 — FEEDER  
 67 — FLUOROLIGHT  
 57 — HERA PERMANENT LENGTH MICHIIITO  
 57 — HERA ULTRASOFT HARISU  
 57 — HERA ULTRASOFT MICHIIITO  
 21, 67 — KNIGHT  
 37 — MAINLINE MASTER  
 58 — NEW MICRON 3  
 13, 21, 67 — PINK HUNTER  
 13, 22, 69 — SENTINEL  
 23, 69 — TRIGGER

**100% FLUOROCARBON**

14 — BIG CATCH  
 62 — CAMOUFLAGE MULTICOLOR  
 63 — CUORI  
 61 — FLUOROCASTING  
 43 — FLUOROCARBON HOOKLINK

40 — FLUOROCARBON MAINLINE  
 48 — FLUOROCARBON SOFT  
 53 — FLUOROCARBON TAPERED LEADER  
 65 — ICE HEAVY  
 14 — INVISIBLE BIG GAME  
 14, 26, 61 — INVISIBLE CLEAR  
 64 — INVISIBLE HARD  
 15, 61 — INVISIBLE PINK  
 64 — PREMIUM  
 59 — SINKING 3X  
 27, 63 — SUPERFLUOROCARBON  
 15, 62 — SUPERFLUOROCARBON HIGH STRETCH  
 32 — SUPER AJING SHOCK LEADER  
 49 — TENKARA LEVEL LINE  
 31 — TROUT AREA FLUOROCARBON

**ESTER**

43 — CHOD/STIFF RIGS  
 32 — SUPER ESTER  
 83 — SUPER HARD  
 83 — SUPER HARD FOR FLIPPING AND JIGGING

**BRAIDED LINES**

33 — 3X PE LIGHT GAMES  
 77 — 4X PE POWER BRAID  
 33 — 4X PE SUPER AJING  
 77 — 4X-8X PE CAMOUFLAGE  
 80 — 8X PE 8  
 35 — 8X PE EGING MASTER  
 19, 79 — 8X PE EVERGREEN  
 16 — 8X PE JIGGING MASTER  
 19, 29, 35, 80 — 8X PE LIGHT GAMES  
 19, 80 — 8X PE LURE BRAID  
 34 — 8X PE MICRO BRAID  
 77 — 8X PE PERFECT STORM  
 78 — 8X PE POWER BRAID  
 17 — 8X PE PREDATOR  
 53 — BACKING LINE  
 45 — CLASSIC SINKING BRAID HOOKLINK SOFT  
 44 — COATED SINKING BRAID HOOKLINK SOFT  
 44 — COATED SINKING BRAID HOOKLINK STIFF  
 45 — PRO SINKING BRAID HOOKLINK SOFT  
 40 — SPOD & MARKER  
 34 — SUPER PE ULTRALIGHT GAMES





Gruppo DP S.p.A.  
Via Trento 43/3 - 16145 Genova - ITALY  
info@gruppodp.com

[WWW.ASSOFISHINGLINE.COM](http://WWW.ASSOFISHINGLINE.COM) - [WWW.GRUPPODP.COM](http://WWW.GRUPPODP.COM)

